Slave Productivity in Cotton Picking

Alan L. Olmstead and Paul W. Rhode

January 2020

Abstract: Social scientists have devoted much effort to measuring and analyzing gender and age productivity differentials. In American economic history, gender productivity differentials have important implications for key issues ranging from the relative efficiency of plantations compared to free farms and the pace of industrialization. We use a new data set to estimate direct physical measures by gender and age of productivity in cotton picking—the peak activity and largest use of labor in cotton production. Based on archival data, we have constructed a sample of 755,005 individual observations of daily cotton picking performed by 7,022 enslaved African-Americans on 140 different plantations over 512 plantation-years during the period 1801-1862. Our specific findings include that (1) in the plantation sector, females and males performed essentially equal shares of the picking work over the ante bellum period; (2) before 1840, adult females picked about 2 percent more per day than adult males; (3) after 1840, the differentials reverse and adult males picked 7-11 percent more per day; (4) productivity in picking, performed on an individual basis, was higher on larger-scale units; and (5) the micro picking data raise severe problems for the "pushing" hypothesis recently advanced in the New History of Capitalism literature.

Preliminary: Do not cite without permission of the authors.

This research is supported by National Science Foundation Collaborative Research Grants, "Seeds and Slaves: Technological Change, Plantation Efficiency, and Southern Economic Development" SES-0550913 and SES-0551130.

Alan L. Olmstead is Distinguished Research Professor of Economics emeritus and member of the Giannini Foundation of Agricultural Economics, University of California, Davis. Paul W. Rhode is Professor of Economics, University of Michigan and Research Associate at the National Bureau of Economic Research.

A number of talented students have contributed to the collection and analysis of the data. Heading this list are Janine L. F. Wilson and Jeffery Graham who have served as the project's head research assistants. Amir Amadi, Raphael Avraham, Rowena Gray, Audrey Goodwater, Pablo Jenkins, Teresa Nguyen, Joanna Parks, and Mariam Yousuf at U.C. Davis; Jacob Hankin, Cassandra Sample, Nolan Tomkovicz, Jack Wroldsen, and Lucia Yacono at the University of Michigan; Tiffany Hamelin at the University of Mississippi; Peter Malaspina at the University of North Carolina; Jeremy Meiners at Washington University St. Louis; Janis Park, Pomona College; Kristi Barnes at Auburn University; Emma McRaney at MDAH; and Eric Sumral at Millsaps College spent countless hours mulling over plantation records. Many other individuals helped us locate and copy manuscripts. We give special thanks to Shelagh Mackay, whose attention to detail and insights have left a positive mark on our research. We have benefited from the comments received in seminars at Arizona, Caltech, Carnegie-Mellon, Michigan, Northwestern, Stanford, the Ohio State, UC Davis, UC Merced, UNC, Vanderbilt, Yale, the OAH conference, the AHA annual meeting, the WEAI conference, the NBER-DAE Summer Institute, and the All-UC Group in Economic History.

Social scientists have devoted considerable effort to measuring and analyzing gender and age productivity differentials. This paper adds to this broad literature by offering a fresh look at the gender productivity gap in antebellum cotton production. We use a vast new data set to provide direct physical measures by gender and age of productivity in cotton picking-the largest user of labor and the critical peak activity of a cotton plantation's production cycle. The goal is to provide a better understanding of the day-to-day regiment of enslaved African Americans and of the performance of antebellum plantations. It has long been known that slave owners made intensive use of female and child labor. Indeed, Gavin Wright (2006, p. 112) argued that the planters' ability to direct female labor into cotton production was crucial to the economic success of southern plantations. Gender/age productivity differentials also had important ramifications off the plantation, affecting the dynamic allocation of the labor force across sectors. Claudia Goldin and Kenneth Sokoloff (1982, 1984) emphasized that early manufacturing used the labor of women and children intensively and that the ratio of female-to-male productivity was much higher in cotton production than in grain production. This relatively narrow female-to-male productivity gap (as measured by slave "earnings" profiles) delayed industrialization in the Cotton South compared with the northeastern United States by offering a highly competitive non-industrial outlet for women (and children).

Coming to grips with male and female picking productivity is complicated because the gap may have changed over time due to the introduction of new cotton varieties. Our previous work (Olmstead-Rhode 2008abc, 2010) demonstrated the dramatic increase in cotton picking rates between 1800 and 1862. These changes appear chiefly associated with biological learning, specifically the introduction, adaptation, and diffusion of Mexican cotton varieties. There is little doubt that these biological innovations dramatically increased overall picking efficiency and had significant distributional effects across regions by increasing productivity in the New South relative to the Old South (Olmstead and Rhode 2008ab, 2010). Here we explore the possibility that the new technologies also had distributional effects altering the relative productivity of different segments of the slave labor force. For example, did the new varieties shift

1

the relative efficiency of the men and women, boys and girls? Did they change the peakload problem in ways that may have increased the comparative advantage by gender in picking? And did the higher picking rates serve to draw men (or women) disproportionally out of other tasks into cotton production? The plantation records shed light on these fundamental questions slave management and southern development.

During the slave era, cotton picking was an unusual farm activity because females participated as fully as males. In the 1801-39 period, adult females picked 2 percent more cotton per day than adult males. But the productivity differentials flipped over time. During the 1840-62 period, adult females picked from 7-11 percent less cotton per day than adult males. Compared with gender gap estimates in other activities, the picking differentials are relatively narrow. One of our results shows that there were scale effects on picking rates—this was not expected given picking was an individually tasked rather than a gang activity. This finding raises the possibility that something else besides gangs was causing the productivity advantages traditionally associated with scale in both picking and non-picking activities. The micro picking data also raise severe problems for the "pushing" hypothesis recently advanced in the New History of Capitalism literature.

Worker-to-Hand and Marginal Product Comparisons

The literature offers a wide range of ratios to convert workers in various gender/age categories into prime-age male (or "full hands") equivalents. As Wright (2006, p. 106) has emphasized, the main findings of the cliometrics literature regarding the efficiency of larger plantations relative to smaller units rest critically on assumptions on the relative importance of female slave labor. The conversion ratio also has important consequences for our understanding of the lives of the people who toiled daily on southern plantations.¹

¹ Wright (2006) highlights the importance of the labor weights for the empirical outcome of the productivity analysis standard in the cliometrics literature. He argues that "the primary effect is to reduce the 'hand equivalence' of female slaves by about 30 percent (p. 106)." His investigation "demonstrates the sensitivity of total factor productivity estimates to … the application of age-sex weights to convert the labor force into 'equivalent hands.' The entire finding on the efficiency advantage for large-scale plantations rests on this procedure.... When an unweighted measure of the labor force is used (i.e. all free males and

In their influential and pioneering analysis, Conrad and Meyer (1958, p. 107) asserted "The prime field wench was one-half to two-thirds as productive as a prime field hand when she was actually at work in the field." This ratio was based on hiring rates and did not reflect time lost due to pregnancies.² Taking the lost time into account reduced their ratio of female-to-male productivity to one-half. A number of other scholars, including Yasuba (1961), Battalio and Kagel (1970, p. 27) and Vedder and Stockdale (1975), have adopted the female-to-male productivity ratio of one-half. In the 1970s, estimating the relative productivity of slaves by age and gender became something of a cottage industry. Figure 1 displays the estimates from Foust and Swan (1970), Battalio and Kagel (1975), Ransom and Sutch (1977, p. 223), Fogel and Engerman (1977), and Fogel (1988, Vol. 3, *Evidence and Methods*, p. 206) of the productivity of slave by age and gender relative prime-age males.³ In these series the productivity of adult females ranges between 43 to 80 percent of that of adult males.

As an alternative to weighing different categories of workers to create a single labor input, other scholars have treated the different types of labor as imperfect substitutes and compared their prices, "earnings," or marginal products. Goldin and Sokoloff (1984), Craig and Field-Hendrey (1993), Toman (2005), and Wright (2006) have modeled slave and free men, women, and children as separate inputs in cotton production and generated a range of estimates of their relative productivities in southern agriculture.

To support their industrialization hypothesis, Goldin and Sokoloff (1984, p. 472) provide evidence on the relative wages for females and for boys relative to men in the North and South. For the South, they use estimated "earnings" in the Old South in 1850

² Conrad and Meyer assume (1958, p. 107) "three months' productive field time was lost for each successful pregnancy." Nursery costs were \$50 per successful pregnancy" (p. 108) and annual maintenance cost per child was \$10 per year for those 1-6 years old, \$15 per year for 7-12 years old; and \$20 per years for those 13 and older (p. 109). Successful pregnancies occurred every two years.

slaves aged fifteen to sixty-four, retaining the assumption that free females were not in the labor force), only the middle-size plantations of the Southwest would have any productivity edge."

³ Fogel and Engerman (1977, Table 1, p. 277) do not report explicitly the female ratios, instead noting they are "70-78 percent of corresponding weights for males." Vedder and Stockdale (1975) utilize the labor force participation ratio from Lebergott, which are less than unity for every age group.

for adult slaves (aged 15-29 years) and for boys (aged 10-14).⁴ The "earnings" ratio of slave women relative to men ranged between 0.57 and 0.76 and that of boys relative to men ranged between 0.25 and 0.43. These ratios were roughly double the earnings ratio in the rural North. Goldin and Sokoloff attribute the differences chiefly to the greater relative productivity of females and children in cotton and tobacco than in grain crops.⁵

In a critique of the Goldin-Sokoloff hypothesis, Craig and Field-Hendrey (1993) estimate the marginal product of farm workers by age and gender in 1860 using the Bateman-Foust sample for the North and the Parker-Gallman sample for the South. Their main finding is that ratio of female-to-male marginal products was 0.599 for adult slaves in the South (p. 71). This was slightly below the 0.611 ratio that they report for free farmers in the North. The gap is very small and of the wrong sign to support the gendergap industrialization hypothesis. Toman (2005) also provides marginal product estimates of labor in cotton plantations in 1860. Her results indicate that the productivity of males and females varied with scale. Using a broad gender division, she finds the marginal product of females relative to males of 40 percent on small units and 60 percent on large units. Using narrow age/gender categories, she finds that the marginal product of adult females relative to adult males was 32 percent on small units, but the ratio jumped to 75 percent on large units. Teenagers of both genders also had higher productivity relative to adult males on large plantations than on small units.⁶

⁴ These are based on Figures 19 and 22 found in Fogel and Engerman, (1974, Vol. I, pp. 76 and 82). The earnings estimates are intended to include only the value of field work, exclude the value of offspring, and net out the costs of board, clothing, and medicine. The earnings profiles rest on Fogel and Engerman's estimates of the lifecycle profile of slave prices from probate records in the Old South. ⁵ Goldin and Sokoloff (1984, p. 473); Metzer (1975). Continuing this line of inquiry, Sokoloff and Tchakerian (1997, p. 243) find that the South's low levels of manufacturing value added per capita in 1860 was "largely attributable to very low levels of outputs in counties specialized in cotton production." Female-intensive industries, such as textiles and boots-and-shoes, were especially uncommon in cotton producing areas (pp. 250, 254). Other avenues of economic development were also affected. Sokoloff and Dollar (1997) argue that proto-industrialization was more prevalent in places with highly uneven seasonal demands for labor-- high harvest peaks and long periods of slack employment. In the era before mechanization, sharp swings in labor demand would characterize the production of small grains but not of cotton. Our examination of the antebellum plantation records suggests home production -- for example the spinning of yarn and weaving of cloth--was less common in the times and places were cotton cultivation was most intense. The extended cotton harvest also raised the opportunity cost of attending school in areas or times when free labor prevailed.

⁶ Some have questioned the interpretation of changes in output associated with changes in changes in the labor force/household composition as a pure measure of marginal product of labor.

Serious concerns remain. Most telling, Wright (2006, pp. 106-113) shows that marginal product by gender estimates are not robust over space and time. Using the 1859/60 Parker-Gallman sample, he found the marginal product of females relative to males in the Southeast was 73 percent, in line with other research. But in the Southwest, it was 113 percent, favoring females. Using the 1849/50 Foust sample, Wright obtained 127 and 307 in the Southeast and Southwest, respectively, suggesting females were vastly more productive than males. Such findings stretch the bounds of credulity, which of course was Wright's point. Clearly, after decades of research on the slave economy, the relative productivity of females to males remains highly contested.

We will take a more direct approach to assess how productivity varied by gender and age by employing a new micro data set measuring the output per worker in cotton picking. These data are particularly relevant because as most labor intensive of all cotton production activities and picking represented the binding constraint on cotton plantations (see Appendix). Scholars including Jacob Metzer (1975), John Campbell (1988), Marie Schwartz (2000) have examined picking productivity across age and gender categories for a small number of plantations.⁷ They generally find that gender differentials were narrow and, according to Campbell, the gap was closing over time. We investigate relative productivity in a vastly larger sample of plantations over a longer time period.

Assembling a New Data Set

To assess the performance of their workers and overseers, many masters kept logs detailing the daily work activity, including the amount of cotton picked, of individual

⁷ Metzer analyzed on cotton picking by age and gender on one plantation, specifically the north-central Mississippi holdings of Francis Terry Leak. He reported "that females were better pickers than males in the four to twelve or thirteen to sixteen age group, but fell behind in adulthood. The relative decline in adult female picking performance was probably due to a considerable extent to the lower physical capacity during pregnancy and nursing periods (1975, pp. 201-202)." Campbell's (1988) studied eight upland cotton plantations in the Old South. He found in the early 1800s, women picked on average 80 to 90 percent as much per day as men. He reckoned that the introduction of Mexican cotton varieties increased the relative productivity of women (Campbell, 1988, pp. 49-65). Schwartz (2000, p. 136) examined records from the Sturdivant plantation near Selma Alabama.

slaves. Absentee owners often required their overseers to keep such records in order to better assess day-to-day farm activities, but many resident owners also caught the recordkeeping bug. The data allowed for comparisons with past years and helped set expectations for picker performance. Over time record keeping became more formalized with many planters employing bound account books with printed templates designed especially for this purpose. The most popular cotton account book was produced by Thomas Affleck, beginning in 1847 (Williams 1957, Rosenthal 2018). In addition to the pages efficiently laid out for recording picking, the Affleck books provided forms for listing the slaves' names, ages, and values, births and deaths, stock and equipment inventories, the weight of individual bales, and other valuable information. The entries often provide a detailed sense of the pulse of plantation life, including the days lost to rain, absences due to sickness, and the like. Figure 2 shows an example of a "user friendly" page from the Affleck book of the Eustatia Plantation in Mississippi.

Our sample for the period 1801-1862 includes data from 140 different plantations and a total of 512 plantation-years, covering 755,005 individual observations of daily cotton picking performed by 7,022 enslaved African Americans. This sample contains only individual-level observations for plantations producing Upland cotton (as opposed to Sea Island cotton). It excludes the aggregate plantation-level averages that we reported in our previous work. A full list of the plantation records that we consulted appears at the end of the References.

Table 1 presents selected statistics of our sample variables. Our sample is concentrated in the New South (the states not touching the Atlantic Ocean). Some 666,980 observations are from this region; 88,025 are from the Old South. The data become more abundant over time. For all of the states, we have 15,996 daily observations for the years before 1820; 24,422 for the decade of the 1820s; 52,323 for the 1830s; 161,138 for the 1840s; 375,809 for the 1850s; and 125,317 for the early 1860s.

Aggregate Results from the Daily Picking Sample

An examination of the aggregate data from our sample yields several noteworthy findings. A robust feature of cotton production on the antebellum slave plantations in our

sample was its intensive use of the labor of women and children. In this regard, cotton was an unusual staple crop. As Panel A of Figure 3 indicates, adult females typically performed more cotton-picking labor—working more days in the operation—than their male counterparts. (The one exception is the 1800-09 period.) The difference was especially pronounced in the 1820s, 1830s, and 1840s with the gap closing substantially in the 1850s and early 1860s. The data for the 1820s on also suggest that children accounted for an increasing share of picking days.⁸ Seen in a different light, the degree of gender segregation of cotton picking was remarkably small. Adult males and females and even young children all picked cotton.

Many observers note that adult males on average picked more cotton per day than adult females or children (see Panel B). However, among adults the differences were neglectable until the 1840s and 1850s. Among children, the changes in the gender ratios were more uneven, but as a general pattern, girls picked more per day than boys. Panel C combines the information on picking days with picking rates to calculate shares by gender and age group of total cotton picked. Again, the crop's characteristic intensity in using the labor of women and children comes through. Collectively women and children picked a majority of the cotton crop in every period except 1800-09. Moreover, the gender balance of picking output was virtually even.

Individual Level Results from the Daily Picking Sample

Employing our sample, we can investigate picking productivity at the individual level. Table 2 reports results of the determinants of (the log of) daily picking rates for various age and gender categories. It also includes indicators for the days of the week, whether the day was a half day, the time of the season (July 1=day 1), and the crop year. The robust standard errors are reported in the parenthesis. The sample is subdivided between the 1801-39 and 1840-62 periods. The 1840-62 period subsample is divided between the Old and New South regions.

⁸ But note the patterns in the earliest period need to be treated with care. The data for the pre-1820 period are relatively sparse-totaling about 16,000 observations or 2.1 percent of the total—and the coverage is not as full as the later sample. For slaves in the sample for whom we have information about their date of birth, we are treating those of age 14 and younger as children.

In all the regressions, adult females picking productivity was quite close to that of adult males. For the entire sample over the 1840-62 period, adult females picked about 11 percent less cotton per day as adult males. This differential is even smaller than that suggested by Goldin and Sokoloff based on gender "earnings." It is much narrower than the conventional view that women were only one-half as productive as men in southern agriculture, taken as a whole. Our finding of a small but positive gap, based on a data set covering over 662,000 worker days on 121 plantations, is more-or-less in line with most anecdotal sources. The productivity differentials for children are less definitive although girls were often more productive than boys.⁹

In the 1801-39 estimates, adult female picking rates were about 2 percent higher than adult male picking rates. The premium was statistically different from zero at conventional significance levels. The initial female picking premium may appear small, but it contrasts with the deficit in the later period and with the position of women in the market economy in general. The finding of an initial premium is particularly relevant to the Goldin-Sokoloff argument because early manufacturing took root in this formative era. Our finding that the gap widened after 1840 is contrary to Campbell's conjecture that the spread of Mexican varieties increased the relative productivity of women. The growth in the height of the cotton plants ("high cotton") along with heavier picking loads may have given an advantage to males. But again, one should not lose sight of the main result: the gender differentials remained small while the productivity of both groups soared.

The day-of-the-week effects displayed in Table 2 differ from what one might expect. Mondays are the omitted category; all results are relative to that day.¹⁰ Sundays was typically observed as the Sabbath, and no picking was performed. One might expect that peak picking would occur on Monday (or Tuesday) after the extra day for cotton bolls to open. Thus, it is a surprise that peak picking occurred mid-week. Saturdays were typically the lowest day, even when an indicator is included to reflect the plantation

⁹ A further complication to consider in future work is the labor force participation rate for children – this will require a fuller accounting on potential workers.

¹⁰ Technically Sundays are lumped with Monday. Sunday work picking the plantation fields is rare – accounting for 1.6 percent of the observations or about one-tenth the fraction of other days of the week. Sunday picking was associated with the harvest rush and its inclusion raises the Sunday/Monday average.

owner or overseer's explicit notation that only "a half day" of picking occurred.¹¹ The contrast in the days-of-the-week patterns between the Old and New regions is also intriguing. In the Old South, rates continue to rise later into the week. This pattern is consistent with the assignment of weekly quotas.

The results in Table 2 regarding with the seasonality of picking suggest little difference in peak picking over space or across time. The peak was 21 September in the 1840-62 period and 27 September in the 1801-39 period—a shift earlier by about a week. But during each span of years, the amount picked per person on the 21 and 27 September differed by less than one-half of one percent. The peak in the Old South and New South in the 1840-62 period differed only by one day.¹² It is notable that the peak occurred in September, within a month of the typical start of the picking season and three months before it fully ended. The 1840-62 coefficients reveal that for a period of two months (63 days) from the 24 August to 26 October, the estimates were within 10 percent of the peak.¹³ The spread was not meaningfully different from that prevailing in the 1801-1839 sample. As the cubic specification captures, there was a quick rise in picking rates in the month prior to the peak and then a slow decline in the two-three months after the peak. Figure 4 shows the typical seasonal pattern (using an adult male in 1850 as the reference worker).

To provide context, Figure 4 presents three histograms documenting the seasonal distribution of daily picking observations, binned by weeks. As a point of reference, day 100 is the 8th of October. The notch down in all the histograms is the week including Christmas (seasonal day 178). This information can be combined with statistics of medians, means, and measures of dispersion. The first histogram compares the distributions before and after 1840. The post-1840 distribution shifts earlier and is little more dispersed. The median picking observation in the 1840-62 period is 7 days earlier than in the 1801-41 period; the mean shifts by about 5 days. These changes are in line

¹¹ It is likely that many managers did not note a partial day's work on Saturdays.

¹² Note this discussion refers to picking on picking days allowing for interruptions (rainy days, Sundays, and other non-picking days) during the picking season.

¹³ The estimates were within 20 per cent on the peak for about three months (93 days). These estimates were to averages and at for picking data. They are subject to sample selection. For example, the pickers were not be sent to the field unless sufficient cotton is open. There were also occasions (for example, on broken days) when the picking performance is not recorded on an individual basis.

with the shift of the peak in picking rates. In general, picking activity is most intense in the weeks when daily picking rates are highest, suggesting both are driven by crop availability. The second histogram compares the distribution for females and males (combining adults and children) in the 1840-62 period. Male picking is slightly more concentrated in the peak period, but the differences appear trivial. The area of overlap predominates. The medians and means are essentially identical. The third histogram contrasts the distributions for the Old South and New South in the 1840-62 period. The observations for the New South are more dispersed than for the Old South. More picking is done earlier and later in the New South than in the Old South. But the medians differ by no more than a day or two.

The rate of growth of the picking rate, as captured in the crop_year coefficient in Table 2, was more rapid in the total sample over the 1801-39 period than in the 1840-62 period. In the second period, growth was more rapid in the Old South than in the New South. But picking levels (for adult males) were about twice as high in the New South as in the Old South circa 1840. As a result, the faster growth in the Old South after 1840 may be interpreted as part of a "catching-up" process as biological innovations created in the New South were adapted for the Old South (Olmstead and Rhode 2010).

Table 3 presents results of quantile regressions of the individual picking data over the 1840-62 period. This approach allows us to check the robustness of the findings to outliers and to examine the effects of the independent variables at points of the distribution away from the mean. The Table reports results for the determinants of the conditional median for the whole sample and for the Old and New South separately. It also presents results for the 10, 25, 75, and 90 percentiles for the whole 1840-62 sample. Focusing on adult females, the coefficients for the whole sample and the sub-regions for the conditional medians conform to those reported above for the conditional means. Furthermore, in the sample as a whole, the adult female coefficients are remarkably stable across the 10-90 percentile range. As relates to a different matter, the crop-year effects in the quantile regressions do show more rapid growth in the top of the distribution than at the bottom.

Figure 5 displays the distributions of picking rates for adult females and males over the 1840-62 period. (These distributions are truncated at 400 pounds for the sake of

10

clarity of presentation.) Two points stand out. First, there is considerable overlap between the two densities. They both have a mode at 100 pounds per day. Second, round numbers such as 100, 200, and 300 pounds have higher masses, suggesting the presence of targets, possibly fixed quotas, or other sources of record-keeping lumping.

Table 2 showed that adult females out-picked males by a small percentage before 1840 and that adult males out-picked females by a more sizeable margin after 1839. One can gain insights into this shift by investigating the changes in a differences-indifferences framework. This will also reveal an interesting interaction between the gender and seasonality in which picking rates rose differently rapidly for adult males, in the final months of the peaking season. To focus the comparison, we will restrict the analysis to adults, dropping for now the observations for children. We will start by taking the picking performance of adult males in the 1801-39 period as the baseline to be captured in the intercept and estimate the coefficients for females, for the 1840-62 period, and for females in the 1840-62 period, as in the equation:

Lpick= α + ψ *female+ ρ *post_1839+ δ *female_post_1839+ β X

Table 4a shows the results without and with the controls employed in Table 2. The coefficient for (adult) females is positive and significant, reflecting the initial picking premium. Picking rates are higher for both genders after 1839 but they rose much faster for adult males; the estimate for ρ is very large while that for δ is negative.

We can add a seasonal component – highlighting changes late in the season – in a triple-differences framework. Here we contrast changes in picking performance before and after 1 November, which marked the typical date of the first killing frost. The estimating equation is:

 $Lpick=\alpha + \psi^{*}female + \lambda^{*}late_season + \theta^{*}female_late_season$

+ ρ *post 1839+ δ *female post 1839+ γ *late season post 1839

 $+\Delta$ *female_late_season_post_1839 $+\beta X$

In the results shown in Table 4b, the baseline is the adult male picking rate before November 1 in the 1801-39 period; this is captured in the intercept, α . Adult females picked more in this time frame; the estimate of ψ is positive. Picking rates dropped in the late season; the estimate of λ is negative. The decline was greater for females; the estimate of θ is also negative, though not so negative as to offset the general advantage captured in ψ . Picking rates in the early season are higher for both genders after 1839 though the rise is not so great for females. The estimate of ρ is very large and δ is negative. Picking rates in the late season rise after 1839; the estimate for γ is positive (though still smaller in magnitude than λ). But picking rates for adult females in the late season do not rise as much as for males after 1839. The estimate of Δ is negative and statistically significantly different from zero. These results show differential increases in the performance of adult males late in the season, that is, when the "top crop" comes in.

We are able to assign the pickers' age for about 40 percent of our daily picking observations. For this group, the plantation records include family registers, ages, and sales receipts allowing us to infer the slave's year of birth. The more specific age information allows a refinement of the analysis by breaking up the broad age categories (used in Table 2) and by preventing differences in age-composition of the population within the categories from obscuring the differences over time or across space.¹⁴ Figure 6 displays histograms of the fraction of picking observations for each gender binned by age categories. Over 90 percent of observations are for those below 40 years on age. (Given the size of the total sample, a small share still contains a large number of observations.)

Table 5 fits a cubic function in age for males and females. The patterns of effects implied by coefficients on days of the week indicators and the "half day," "crop year," and seasonal variables are not sufficiently different from those in Table 2 to warrant extensive discussion. Let us focus on the age-gender effects. In the 1840-62 period, the picking rates for females slightly exceed those for males up to age 12. For both genders, picking rates grow rapidly over the pre-teen and teen years. The female profile peaks at age 27; the male profile at age 29. Thereafter males pick about 25 pounds per day more than females.¹⁵

¹⁴ An appendix includes Table A1 which displays the results for the specifications employed in Table 2 on the sample for which ages are available.

¹⁵ In this period, the ratio of seed-cotton-to-lint was between 4-to-1 and 3-1. The value of lint cotton was in the range of 6-8 cents per pound. Taking the mid-points, 25 pounds of seed cotton was worth 50 cents; 15 pounds is worth 30 cents.

Given the fit of the cubic functional form, the profiles reach a local minimum in the late-40s- to early-50s-age range and then turn up. This upturn among the elderly obviously could be an artifact of extrapolating from parameters fit using abundant data at younger ages. Employing the more flexible functional specification allowed by the Lowess locally-weighted regression helps us address this concern. See Figure 7. The upturn for the elderly disappears. The cross-point where males out-pick females occurs between 15 and 16 years of age; the differences before this age are small. The female peak occurs at age 28 at 117 pounds per day whereas the male peak occurs at age 29 at about 132 pounds. The gap between adult males and females was typically in the 12-15 pound range. The Lowess profiles for adults are flatter than those implied by the cubic specification. This observation suggests that small differences in the age composition among the adult labor force will not create great distortions, and we can thus use our broader adult categories without introducing significant biases.

In line with the work of Fogel and Engerman, Field, Toman, Wright, and others we can also consider plantations of different scales. Table 5 conducts an investigation analogous to Table 2 for sub-sample of plantations with different-sized picking forces. We utilize a breakdown of plantations with 14 or fewer different pickers recorded in the year, 15 to 50 different pickers, and 51 and more. It is notable that observations are scarce for small operations. Indeed, why would a small owner-operator bother to record such information? For understanding antebellum cotton production, it is clearly the larger operators that matter most.¹⁶ The results for picking differ across scale, though not as the existing literature suggests. For example, female adults appear more productive on the smallest units, contra to Toman (2005).

The key point that comes out of this exercise is that scale is important even for picking, an activity which by all account was performed, and often tasked, on an individual basis.¹⁷ The last two columns run specifications including, respectively, the (log of the) number of pickers appearing in the records that crop year and appearing that

¹⁶ Based on statistics compiled from the 1860 Parker-Gallman sample reported in Foust (1975), p. 161, slave-less farms accounted for 4.0 percent of cotton production, those with 1-9 slaves for 9.9 percent, plantations with 10-19 slaves for 12.7 percent, 20-49 slaves for 27.7 percent, 50-99 slaves for 23.2 percent, and 100 and more slaves for 24.1 percent.

¹⁷ Fogel (1989), p. 27; Metzer (1975), pp. 123-50; Fogel and Engerman (1974), Vol. I, p. 206.

day. In both cases, the coefficients are positive, significant, and in the range around 0.12 and 0.18. The coefficient is higher for the (log of the) daily number of pickers; this finding is consistent with the notion that more workers will be allocated to picking if there is more cotton in the field. The finding is not completely transparent because the regressions include controls for season, and it is conceivable that adding more workers would cause them to interfere with one another and reduce average individual picking rates. Moreover, a significant positive coefficient appears in the specification using the total number of different pickers appearing at any time during the crop-year. This implies economies of scale in cotton picking. These findings direct us to explore further the role (both correlative and causal) of scale on productivity more generally to reevaluate of the impact of gang system in non-picking activities.

One might worry that the balances/scales used to weigh cotton varied across plantations or over time. In our past research, we conduct a series of selected checks, comparing the total weight of the cotton picked in the field with the total weight of the ginned cotton bales (also reported in the plantation logs). In all cases, the ratios were within reasonable bounds of the prevailing seed-cotton to lint conversion rates. The regressions reported in Table 7 provide more direct reassurance. They include (a) plantation fixed effects to control from difference across units and (b) plantation crop year fixed effects to control for difference across units and within units over crop years. Clustered standard errors are reported as well in the <> brackets. The gender differentials remain small in the 1840-62 period and are non-existence in the 1801-39 period.

Labor Allocation and Selection Issues

Another important robustness concern arises due to the unbalanced nature of our panel, or rather of the plantation work routines. Most of the slave labor force, including many house hands, picked at some time during the harvest season. But not all pickers picked each day. Pickers were missing because they were ill, had run away, or were called off to perform other work such as ginning, hauling, repairing roads, and so on. The effect of the differential allocation of labor to other activities raises concerns about

14

selection in line with the standard Roy model. It is possible, for example, that the workers most skilled in picking were also the most productive at the gin.¹⁸ As the season progressed, the picked seed cotton that required ginning would build up and the gin workers were called out of the fields. If this occurred during the high picking season, their highest potential picking days are censored from the sample. Given gin workers were typically male, this practice could lead to an understatement of the relative productivity of males.

An examination of the evidence suggests the selection problem is not likely to lead to large biases, at least in this direction. The plantation records indicate in many cases the cause of the workers' absences. If one includes in the picking regression (results not shown) an indicator variable for cotton pickers who ever ginned on plantations recording ginning activity, the coefficient is negative and significant. This suggests the ginning status (controlling for adult status and gender) is not positively correlated with potential picking productivity. This result is consistent with many explanations. Perhaps owners/overseers allocated the top pickers to ginning, or the gin workers held a higher status and did not feel a strong compulsion to pick at full speed to avoid punishment or earn rewards. In any case, ginning was also relatively uncommon, accounting for about 2 percent of absences for these plantations. Sickness was a much more common cause of absence.

In addition, the largest differences in the gender composition of the picking labor force occur at the beginning or end of the season, not in the peak period of high picking. It was in August and early September that women and children picked while men prepared the gin and drying scaffolds, hauled, plowed, and labored on roads and bridges.

¹⁸ Metzer (1975) emphasizes that exploitation of comparative advantages as a sign of planter rationality. The most able workers, those with an absolute advantage in picking, are assigned to other more difficult tasks where they possess even greater advantage. He noted it was at first puzzling "that females on Leak plantation were engaged more intensively in picking (in terms of days per season) than males in the seventeen and older age group despite their inferior performance in this operation. This apparent contradiction between actual and efficient resource allocation is easily resolved by examining work routines records for the cotton-picking season (1975, p. 202)." The records of the Capell and Killona plantations (Leak offered no data on this issue) showed that although males were heavily engaged in picking, many were assigned to other, more strenuous jobs that competed with picking. Thus, according to Metzer, planters utilized the principle of comparative advantage.

Male labor was also withdrawn in early December at slaughter time. The adult male share is quite stable over the picking season. (See the histogram in Figure 4.) Again, picking was an operation that was not meaningfully segregated by gender.

Our main strategy to address the allocation problem is to include plantationpicking-day fixed effects in the regression. That is, we include one indicator for each picking day on each plantation. This captures conditions on each specific day such as the amount of cotton available to be picked (and soaks up seasonal and days-of-the-week effects). The measurements then become relative to the other pickers in that plantation's field on that day. Workers who are differentially absent in high picking period are not penalized; those absent during low period are not rewarded.¹⁹

Table 8 presents the results for the major gender/age divisions including plantation-day fixed effects. Table 9 presents the results for the age-gender cubic specification. Two sets of standard errors are reported—the White-robust standard errors in the parenthesis and Robust-Cluster-corrected standard errors clustered on the plantation year in the <> brackets. The latter attempt to control for correlation among the picking observations on a specific plantation for a given crop year. Gender differences remain small. For the entire sample over the 1840-62 period, the estimated gender differential is 6.9 percent. If anything, controlling for allocation/selection issues by adding plantation-day fixed-effects implies the female adult productivity was even closer to the male adult productivity than in our results presented earlier. Adding controls for women who are pregnant or likely nursing infants, would probably result in even smaller estimates of the gender gap for women not with child.

Controlling for Individual Fixed Effects

The picking records are amazing rich. They can be paneled by individual with the plantation crop year and across crop years. The overall sample has information on some

¹⁹ The idea is this: suppose there are two pickers, A and B. Suppose A always picks X percent more than B when both are present. Suppose there are two days—Low and High—and B picks Qlo and Qhi. Were A present he would, by assumption, pick XQlo and XQhi. But A is allocated to gin on High days, so is only observed to pick XQlo. Comparing XQlo and 0.5(Qlo+Qhi) understates A's relative productivity.

7,000 individuals. In some cases, there is picking data from the same person for up to two decades. This allows a deeper analysis of the picking performance over the life cycle, as the individual ages and makes the transition from childhood to adulthood. Table 10 reports results of regressions including individual fixed effects in the 1840-62 sample. The specifications include the full sample and females and males separately. One important caveat in the analysis is that for specific individuals, aging and the passage of time is perfectly correlated. For this reason, we do not include time trends (as previously captured in the crop-year variable) in the regressions with individual fixed effects. Panel A reports results for the transitions across the broad age categories (as in the analysis in Table 2). In contrast to Table 2, the penalty for being a child is less pronounced in the regressions in Panel A. The differences for males was smaller than for females. Panel B bridges the Panels A and C by showing results for the transition across broad age categories (as in Panel A) for the sample with ages (investigated in Panel C). The results in Panel B are virtually identical to those in Panel A. This should allay some concerns about selection into the sample with ages. Panel C reports results for aging in the sample with ages (as in the analysis in Table 5). These results indicate the effect of aging on males and females was very similar, the plots lie on top of one another (excepting the intercept). Panel D restricts the sample to the individual below 25 years of age. The same pattern emerges. These results help provide a baseline for the much more detailed analysis of the individual-level data in the future.

The Pushing System

Before concluding, we must deal with Edward Baptist's recent claims. He is a leading contributor to new historical literature on slavery and capitalism. Baptist accepts our estimates that the quantity of cotton picked per slave per day rose significantly over a half century. He rejects our evidence that this change was primarily due to a *succession* of improved cotton varieties. Instead, he argues that masters became ever more efficient torturers, extracting more labor from their chattel under the so-called "pushing system." He reaches this conclusion by stringing together a few statements by ex-slaves asserting that as soon as they reached a quota the target was raised and then raised again and again. If an individual even fell even a little short of the target, the punishment was immediate

17

and severe.²⁰ It was this ever evolving "whipping machine" that largely accounted for the growth in picking output per slave—as individuals learned to pick cotton faster and faster (Baptist 2014, pp. 111-144, esp. 126-28, 134). Baptist's claims about the "pushing system" has an important following in the New History of Capitalism (NHC) literature. As an example, Sven Beckert (2014, p. 116) cites Baptist's assertion that "torture ... was at the root of the ability of American planters to produce ever more cotton."

The NHC literature has embraced the ratcheting hypothesis apparently unaware of the work by economist on this issue. Economists have extensively studied the quotasetting process—what became known in the twentieth century as the "ratchet effect."²¹ Martin Weitzman's classic analysis (1980) found that the agent's (in this case a slave's) optimal level of production does not depend on the prevailing quota. Rather it depends on the current-period reward (punishment) for exceeding (falling short) of the quota, the extent to which the future quota would be adjusted, and the interest rate. In a static deterministic environment, the agent's optimal level of production is constant over time. And in general, the ratcheting of quotas creates a dynamic disincentive that diminishes output in each period. The agent holds back on costly effort that would decrease the prospect of being punished today because working harder today increases the prospect of being punished in every period in the future.²²

Records detailing cotton picking rates are common; explicit records of quotas are rare. Out of the thousands of plantation books we have examined, we have seen only a

²⁰ Solomon Northup (1853) offers the clearest statement of dynamic ratcheting.

²¹ Berliner (1957). See Laffont and Tirole (1994), Ch. 9 for a modern theoretical treatment of these issues; and Indjejikian, Matějka, Schloetzer (2014), pp. 1259-67 for a recent survey.

²² Weitzman consider an environment without technical change. The agent's optimal production is independent of the current quota and is constant over time. It depends on long-run incentive parameters the rewards (punishments) for exceeding (falling short) of the quotas, the extent of adjustment of future quotas, and the interest rate. The bonus/penalty applies on either side of the quota and the future quota can be adjusted down as well as up. In Weitzman's model in the non-stochastic setting without technological change, the agent received a linear bonus (penalty) if current production exceeded (fell short of) the current quota, q_t: B=b(y_t-q_t). The future quota was adjusted by a factor, λ : q_{t+1}= λ (y_t-q_t)+ q_t. The agent produced subject to a cost function, C(y_t), where C'>0, C''>0. At the optimum, the agent sets production, y*, where C'(y*)=b/(1+ λ /r). Production with the ratchet, λ >0, is lower than without it (λ =0). The results do not require long foresight—Weitzman labels the solution myopic.

The incentive structure that Baptist posits is even starker. There are no positive incentives, only negative consequences from producing less than the quota, $B = f(min(y_t-q_t, 0))$. And the quota can only go up $q_{t+1}=max((y_t, q_t))$. The agent in this setting has no incentive ever to deviate the initial quota, q_o .

handful of plantations where picking tasks were recorded.²³ The Hillyer plantation near Augusta, Georgia kept cotton books from 1817 to 1819.²⁴ The books reported both individual picking rates for three years and the tasks for 1818. They allow us to investigate how prior picking performance was related to the tasks, and how the tasks were related to subsequent performance. The tasks varied across individuals. But they were large round numbers which showed no variation during the picking season. The tasks were more closely correlated with 1817 *mean* picking rates than with the 1817 *maximum* rates. The tasks were correlated with both the 1818 mean and maximum amounts picked. But the 1818 mean picking rates were below the tasks in all 11 cases where comparisons are possible; the maximum was below in 8 of the 11 cases. In only 6 percent of daily individual picking observations did the quantity picked equal to or exceed the individual's daily task on the Hillyer plantation.

The memorandum books of James A. Tait's plantation in Wilcox County, Alabama also listed picking tasks for individual slaves for 1823, 1824, 1826 and 1850.²⁵ Tait's books did not record individual-level picking performance, but they did have multiple lists of individual quotas. Tait's records have demographic detail on the specific slaves that allow us to investigate how the quotas varied across individuals, over time, and between different varieties of cotton.²⁶ Tait reported separate picking tasks for regular Green Seed cotton and for the newly-introduced Mexican cotton in 1823. In line with our statements regarding the greater ease of picking the new variety, individual slaves were expected, on average, to pick 25 percent more Mexican cotton than Green Seed cotton per day. The tasks listed for 1824 were lower than either of the 1823 Mexican or Green Seed numbers: that is, tasks were ratcheted down. The documentary

²³ The records of W. S. Hamilton (UNC SHC) may contain quotas in 1819. There are numbers next to the workers names in the introductory material in the picking records. These numbers appear to be used to calculate overages, perhaps to reward slaves. There is no explicit reference to quotas and no sign of ratcheting.

²⁴ The Hillyer accounts (ca. 1797-1860) also include extensive records of payments to slaves for cotton. The tasks listed may have been used in calculations for overwork or to assist in planning production. Our research indicates that picking tasks or quotas rarely appear in the surviving plantation records. ²⁵ James A. Tait papers, Auburn University and Alabama Department of Archives and History.

²⁶ Sellers (1950), p. 68 errs in his discussion of Tait's tasks. He writes: "Tait lists the tasks for picking Mexican cotton..." He continues: "The above tasks seem small, but Tait notes that this was due to the poor crop of cotton after the long rains." This discussion mixes different years. The tasks for picking Mexican cotton were for 1823. The reduced tasks to pick the rain-damaged crops relate to 1824.

evidence makes the reason clear: "These tasks are small on account of the badness of cotton from long rains 30th Sept." The 1823 and 1824 records do not show changes, or any sign of ratcheting up over the crop year.²⁷ The tasks varied by gender and age but were not fine-tuned to individuals. The tasks again were large, round numbers, differing by increments of 10 pounds.²⁸

Our data show that actual picking rates varied enormously, over the lifecycle, the season, and even from day-to-day.²⁹ Rates changed from day-to-day depending on many factors beyond human control: the weather and the condition of the crop (such as, how many bolls were open and whether the cotton was damp from morning dew). Daily picking rates changed over season. Contributing variations with the season was the progressive opening of the cotton bolls from the bottom of the plant to the top. Morning frost was more common later in the season shorting the picking day. The time between sun-up and sun-down of course grew shorter as picking progressed from August to December.³⁰

One can use our picking data to conduct another exercise. We examine samples for all pickers over the pre-1840 and 1840-62 periods. Suppose every picker's quota was ratcheted up as Baptist suggested. How frequently did the realized picking rate fall below the hypothetical individual quota? We can add cases where the target was reset each season, where the adjustment occurred only if the increment was above specified thresholds (0, 10, and 20 pounds), and where the adjustment occurred with a probability of less than one (50 percent chance, 90 percent chance).

²⁷ The 1826 record did show internal adjustments during the season. Based on our best efforts to understand the records, the numbers were revised downward for 10 or 11 individuals and upward in 2 or 3 cases. Tait clearly was adjusting picking tasks up and down to meet conditions and slave performance— there is no support for the claim that quotas only increased. Tait also reports tasks for 1850, for picking to 12 noon. The numbers imply higher picking rates per hour of work than in the 1820s. But they have the same general patterns—large round numbers. The increments are 5 pounds instead of 10.

²⁸ An experienced cotton picker probably could have judged whether he or she was close to quota that was defined in 10-pound increments. Overshooting the target significantly seems unlikely, especially if disposing of the picked cotton (by giving it to others with low weights or leaving it in the field to collect later) was easy.

²⁹ Baptist's own sources testify to this fact: Charles Ball (1837, p. 212) noted that a "day's work" depended on the quality and condition of the crop: "In a good field of cotton, fully ripe, a day's work is sixty pounds; but where the cotton is of inferior quality..., fifty pounds is the day's work; and where the cotton is poor, or in bad order, forty, or even thirty pounds, is as much as one hand can get in a day."

³⁰ At the latitude of Natchez, MS, there are three more hours of sunlight per day on the 22 of August, about when the picking season began, than on the 22 of December, near when the season ended.

The statistics are derived as follows. For each person, the amount of cotton picked each day is listed in sequence. Then a hypothetical target is calculated.

 $Target_{t+1} = Target_t + p*max(0, Picking_t-Target_t-Increment).$

The target ratchets up (with probability p) if the amount picked exceeds the previous target by the specified increment. The initial target is either reset every season or is carried over from the past season. So, if the increment is 0, the probability is 1, and the process resets, the target always rises to equal the maximum amount picked that season. If the increment is 10 pounds, the probability is 0.5, and the process resets, the target has a 50 percent chance of rising to the current picking amount if that amount exceeds the previous target by 10 pounds.

Table 11 indicates the fraction of days in the actual picking data that individual slave performance fell below quota ratcheting target under various specifications. The conclusion is that even in the less aggressive scenario (new season reset, 20-pound increments, 50 percent probability of adjustment), a deficit occurred *three* days out of *four*. Unless owners intended to whip virtually every slave almost all of the time, planters and overseers who assigned quotas to individual slaves would have had to change them regularly, sometimes daily, over the course of the season to reflect the health of the slave, abundance of the crop, the weather, and the condition of the fields.

Conclusion

It has long been asserted that antebellum cotton production relied to an unusual extent on labor of women and children, that the productivity differentials between females and males were lower than in most other activities, and that productivity was higher on larger-scale units. This paper adds new details and insight related these general notions focusing on cotton picking. Given that picking was the binding constraint in cotton production, our data are particularly relevant to understanding labor and gender productivity when it mattered most. We show that in the plantation sector, females and males performed essentially equal shares of the picking work; and that, in thepre-1840era, the daily picking rates for adult females were about 2 percent higher than for

21

adult males. In the later antebellum period (after 1840), the differentials reversed, and adult makes picked about the 7-11 percent more cotton per day than adult females. These estimates of the gender productivity gap are much smaller than previously posited. The 9-13 percent shift in the relative gender productivity most likely reflects a case of genderbiased technological change; the new Mexican cottons grew considerably higher than the varieties they replaced and thus gave an advantage to men. The greater weight that could be picked in a day may also have favored men who could move the cotton more easily than women. Nevertheless, compared with other estimates of the gender gap, the picking differentials were small and varied by relatively slight magnitudes over time and space.³¹ This gives added support to the Goldin-Sokoloff hypothesis on early industrial development. We further show that productivity in picking was higher on larger-scale units. This is an unexpected finding because picking was not a gang activity; it was conducted on an individual basis. Something else besides gangs was at work. Our analysis also offers serious question of the recent claims for the purported "pushing system."

³¹ This differential is close to the 9.1 percent gender differences in prices that Kotlikoff (1979) found in the New Orleans slave market. He also observed the male premium tended to increase over time, roughly in line with our picking results.

References

Anderson, Ralph V., and Robert E. Gallman. "Slaves as Fixed Capital: Slave Labor and Southern Economic Development." *Journal of American History* 64: 1 (June 1977): 24-46.

Battalio, Raymond C., and John Kagel. "The Structure of Antebellum Southern Agriculture: South Carolina, a Case Study." *Agricultural History* 44: 1, *The Structure of the Cotton Economy of the Antebellum South* (Jan. 1970), pp. 25-37.

Baptist, Edward E. The Half Has Never Been Told: Slavery and the Making of American Capitalism (New York: Basic Books, 2014).

Beckert, Sven. 2014a. "Slavery and Capitalism." Chronicle of Higher Education 14 Dec.

Berliner, Joseph S. 1957. *Factory and Manager in the Soviet Union* (Cambridge, MA: Harvard Univ. Press).

Campbell, John Douglas. "The Gender Division of Labor, Slave Reproduction, and the Slave Family Economy on Southern Cotton Plantations, 1800-1864." University of Minnesota Ph.D. dissertation, 1988.

Conrad, Alfred H. and John R. Meyer. "The Economics of Slavery in the Ante Bellum South." *Journal of Political Economy* 66: 2 (April 1958), pp. 95-130.

Craig, Lee A., and Elizabeth B. Field-Hendrey, "Industrialization and the Earnings Gap: Regional and Sectoral Tests of the Goldin-Sokoloff Hypothesis." *Explorations in Economic History* 30 (1993): 60-80.

Field, Elizabeth B., "Free and Slave Labor in the Antebellum South: Perfect Substitutes or Different Inputs?" *Review of Economics and Statistics* 70:4, (Nov. 1988): 654 - 659.

Field, Elizabeth B. "The Relative Efficiency of Slavery Revisited: A Translog Production Function Approach." *American Economic Review* 78:3, (June 1988): 543 - 549.

Field-Hendrey, Elizabeth B., and Lee Craig, "The Relative Efficiency of Free and Slave Agriculture in the Antebellum United States: A Stochastic Production Frontier Approach" in Frank Lewis and Kenneth Sokoloff, eds., *Factor Endowments, Labor and Economic Growth in the Americas.* (Cambridge: Cambridge Univ. Press, 2005).

Fogel, Robert W., and Stanley L. Engerman. "The Economics of Slavery." In *Re-Interpretation of American Economic History*, edited by Robert W. Fogel and Stanley L. Engerman. (New York: Harper and Row, 1971). pp. 331-341.

Fogel, Robert W., and Stanley L. Engerman. *Time on the Cross: The Economics of American Negro Slavery*. Vol. I and II (Boston: Little, Brown, 1974).

Fogel, Robert W., and Stanley L. Engerman. "Explaining the Relative Efficiency of Slave Agriculture in the Antebellum South." *American Economic Review* 67: 3 (June 1977): 275-96.

Fogel, Robert W. *Without Consent or Contract: The Rise and Fall of American Slavery.* Vol. I (New York: Norton, 1989).

Foust, James D. *The Yeoman Farmer and Westward Expansion of U. S. Cotton Production*. (New York: Arno Press, 1975).

Foust, James D., and Dale E. Swan. "Productivity and Profitability of Antebellum Slave Labor: A Micro-Approach." *Agricultural History* 44: 1 *The Structure of the Cotton Economy of the Antebellum South.* (January 1970): 39-62.

Gallman, Robert E. "Self-Sufficiency in the Cotton Economy of the Antebellum South." *Agricultural History* 44: 1 *The Structure of the Cotton Economy of the Antebellum South.* (January 1970): 5-24.

Genovese, Eugene D. *The Political Economy of Slavery: Studies in the Economy and Society of the Slave South*. (New York: Vintage, 1967).

Goldin, Claudia and Kenneth Sokoloff. "Women, Children, and Industrialization in the Early Republic: Evidence from the Manufacturing Censuses." *Journal of Economic History* 42: 4 (December 1982): 741-774.

Goldin, Claudia and Kenneth Sokoloff. "The Relative Productivity Hypothesis of Industrialization."" *Quarterly Journal of Economics* 99: 3 (August 1984): 461-87.

Indjejikian, Raffi J., Michal Matějka, and Jason D. Schloetzer. 2014. "Target Ratcheting and Incentives: Theory, Evidence, and New Opportunities." *Accounting Review* 89, no. 4 (July): 1259-67.

Kotlikoff, Laurence J. "Quantitative Description of the New Orleans Slave Market, 1804 to 1862." *Economic Inquiry* 17 (1979): 496-517.

Laffont, Jean-Jacques, and Jean Tirole. 1994. *A Theory of Incentives in Procurement and* Regulation (Cambridge, MA: MIT Press).

Laffont, Jean-Jacques. 2014. Market Power and Regulation," <u>https://www.nobelprize.org/nobel_prizes/economic-sciences/laureates/2014/advanced-economicsciences2014.pdf</u>.

Lebergott, Stanley. The Americans: An Economic Record (New York: Norton, 1984).

Lewis, Frank, and Kenneth Sokoloff, eds. *Factor Endowments, Labor and Economic Growth in the Americas*. (Cambridge: Cambridge University Press, 2005).

Lyman, Joseph B. Cotton Culture. (New York: Orange Judd, 1868).

Metzer, Jacob. "Rational Management, Modern Business Practices, and Economies of Scale in Antebellum Southern Plantations." *Explorations in Economic History* 12 (1975): 123-50.

Northup, Solomon. 1853. Twelve Years a Slave (Auburn, NY: Derby and Miller).

Olmstead, Alan L. and Paul W. Rhode. "Biological Innovation and Productivity Growth in the Antebellum Cotton Economy." NBER Working Paper w14142 (2008a).

Olmstead, Alan L. and Paul W. Rhode. "Biological Innovation and Productivity Growth in the Antebellum Cotton Economy." *Journal of Economic History* 68 (2008b): 1123-1171.

Olmstead, Alan L. and Paul W. Rhode. *Creating Abundance: Biological Innovation and American Agricultural Development*. (New York: Cambridge University Press, 2008c).

Olmstead, Alan L. and Paul W. Rhode. "Productivity Growth and the Regional Dynamics of Antebellum Southern Development." In *Economic Evolution and Revolution in Historical Time*, edited by Paul W. Rhode, Joshua Rosenbloom, and David Weiman. (Stanford, CA: Stanford University Press, 2010): 180 - 213.

Parker, William N., and Robert E. Gallman. Southern Farms Study, 1860 [Computer file]. ICPSR07419-v1. Ann Arbor, MI: Inter-university Consortium for Political and Social Research [distributor], 1991. doi:10.3886/ICPSR07419

Phillips, Ulrich B. *American Negro Slavery* (Baton Rouge: Louisiana State Univ. Press, originally published 1918, reprinted 1966).

Phillips, Ulrich B., and James David Glunt. *Florida Plantation Records from the Papers of George Noble Jones*. (St. Louis: Missouri Historical Society, 1927).

Ransom, Roger L. and Richard Sutch. *One Kind of Freedom: The Economic Consequences of Emancipation*. (New York: Cambridge Univ. Press, 1977).

Records of Ante-Bellum Southern Plantations: From the Revolution through the Civil War, edited by Kenneth M. Stampp, (Frederick, MD: University Publications of America, Various dates after 1985).

Rosenthal, Caitlin. *Accounting for Slavery: Masters and Management* (Cambridge, MA: Harvard University Press 2018).

Schwartz, Marie Jenkins. *Born in Bondage: Growing Up Enslaved in the Antebellum South.* (Cambridge, MA: Harvard University Press, 2000).

Sellers, James B. 1950. Slavery in Alabama (University, AL: Univ. of Alabama Press).

Sokoloff, Kenneth L., and Viken Tchakerian. "Manufacturing Where Agriculture Predominates: Evidence from the South and Midwest in 1860." *Explorations in Economic History*. 34 (1997): 243-64.

Toman, J. T. "The Gang System and Comparative Advantage." *Explorations in Economic History* 42:2 (April 2005): 310-23.

Vedder, Richard K., and David C. Stockdale. "The Profitability of Slavery Revisited: A Different Approach." *Agricultural History* 44: 2 (April 1975): 392–404. Weitzman, Martin L. 1980. "The 'Ratchet Principle' and Performance Incentives." *Bell Journal of Economics* 11, no. 1 (Spring): 302-08.

Whartenby, Franklee Gilbert. Land and Labor Productivity in United States Cotton Production, 1800-1840. (New York: Arno Press, 1977).

Williams, Robert W. "Thomas Affleck: Missionary to the Planter, the Farmer, and the Gardener." *Agricultural History* 31: 3 (July 1957): 40-48.

Wright, Gavin. The Political Economy of the Cotton South: Households, Markets, and Wealth in the Nineteenth Century. (New York: Norton, 1978).

Wright, Gavin. *Slavery and American Economic Development*. (Baton Rouge: Louisiana State University Press, 2006).

Yasuba, Y. "Profitability and Viability of Plantation Slavery in the United States." *Economic Studies Quarterly* 12 (September 1961): 60–67.

References – Used in Construction of Slave Cotton Plantation Dataset

Archives & Collections

Alabama Department of Archives and History (Montgomery, AL).

Coffee, John. Papers. LPR 27.

Glennville Plantation Records, 1832-1951. Mss. 90.

Hall Family. Papers, 1785-1923. LPR39. Tait Family. Papers. LPR 35.

Waldwick Plantation Records, 1834-1971. LPR174

Arizona Historical Society Library and Archives (Tucson, AZ).

Dinsmore Family. Papers, 1731-1978. MS1016.

Arkansas State Archives (Little Rock, AR).

A. Howard Stebbins. Supplement, 1825-1922. Maggie E. Walker diary.

Avery Research Center. College of Charleston (Charleston, SC).

Walter Pantovic Slavery and African American History Collection. Hardscrabble plantation records. [https://lcdl.library.cofc.edu/lcdl/catalog/lcdl:80259].

Birmingham Public Library, Archives Department (Birmingham, AL).

Faunsdale Plantation Papers.

Buffalo and Erie County Public Library, (Buffalo, NY).

William Stansbury Plantation Papers.

Center for American History, University of Texas (Austin, TX).

Leyendecker Family. Papers, 1817-1981.

Rogillio Family. Papers, 1821-1933.

Darlington Historical Society (Darlington, SC).

Wilds, Peter. Collection.

Department of Archives and Special Collections, J.D. Williams Library, University of Mississippi (University, MS).

William J. Dickey Diaries. MS74.

Landry-Hume Collection. MUM1796. William M. Mercer plantation accounts, Buckhurst, Elliscliffe, and Ormonde plantation books.

Locust Grove Slave Ledger. MUM00275.

Division of Rare and Manuscript Collections. Cornell University Libraries (Ithaca, NY).

Gail and Stephen Rudin Slavery Collection. No. 4681. Thomas Falconer cotton plantation account books.

Florida Historical Society Library (Cocoa, FL). El Destino Plantation Papers, 1786-1938. Mss. 2001-02. Florida State University Libraries, Special Collections and Archives (Tallahassee, FL). Leonard Family Records, 1913-1950. Georgia Department of Archives and History (Morrow, GA). Butts, Elijah. Plantation Account Book, 1843-1865 (bulk 1843-1846, 1855-1864). Conley, Benjamin. Papers, 1839-1875, 1880, and n.d. Curry, Duncan. Major Duncan Curry Business Papers. Everett, Josiah. Daybook. Fincher, William J. Diary. Hawk, Seaborn J. Plantation Book. Lester, John Vickers. School Roll Book, 1856. Miller, Benton H. Farm Journal. Smith, Archibald. Family Papers, 1670, 1696, 1737-1985, and n.d. Georgia Historical Society (Savannah, GA). Jones Family. MS 440. Kollock-Thoromon family papers. MS 1648. Richard Leake. Plantation Journal. MS 485. Telfair Family papers, MS 793. Gilder Lehrman Institute of American History. English, John. Mississippi Cotton Plantation Diary and Journal. Houghton Library, Harvard University (Cambridge, MA). Palfrey Family. Papers. MS 1704-1704.9, 1704.11-1704.21. Huie Library, Henderson State University (Arkadelphia, AR). Bozeman Plantation Journal. ARK F 417.C53 B69. Huntington Library, Art Collections, and Botanical Gardens (San Marino, CA). Postlethwaite Family Papers. Mss. HU 28847. Rush and Haller Nutt Papers, 1805-37. Jarrett Learning Center, East Texas Baptist University (Marshall, TX). John B. Webster. Plantation Journal. Louisiana and Lower Mississippi Valley Collections, Louisiana State University Libraries (Baton Rouge, LA).

Capell Family. Papers. Mss. 56, 257, 1751, 2501, 2597. Jenkins, John C. Family Papers. Mss. 141,142,184,187. Liddell, Moses and St. John Richardson. Family Papers. Mss. 531. Lobdell (John L. and Family) Papers. Mss. 4359. Arbroath Plantation Cotton Book, 1841-45. Monette, James. Day Book and Diary. Mss. 0590. Norwood, John Abel. Papers. Mss. 1373. Snyder, Alonzo. Papers. Mss. 655. Steward, Robert. Family Account Books. Mss. 404, 4732. Kilbourne, J.G., and family. Papers. Mss. 690, 713. Records of Comite plantation. Manuscript, Archives and Rare Book Library, Emory University (Atlanta, GA). Graves Family. Papers, 1818-1939 (bulk 1836-1910). Coll. 327. Manuscript Collection, Library of Congress. (Washington, DC). William McAdoo Papers. Manuscripts Department, Library of the University of North Carolina (Chapel Hill, NC). Newstead Plantation Records. MS 2339. Mark E. Mitchell Collection of African American History (Washington, DC). Records of Hardscrabble plantation. Millsaps College. J. B. Cain Archives of Mississippi Methodism (Jackson, MS). William Winans. Papers 1810-1857. Microform Collection, Davis Library, University of North Carolina (Chapel Hill, NC). John Horry Dent. Farm Journals and Account Books, 1840-1892. Mississippi Department of Archives and History (Jackson, MS). Allen, James. Plantation Book. Z/0014.000, reel 35978. Anonymous Plantation Diary. [Cotton Thomas. Plantation Diary]. Z/0024.000, reel 37134. Ayres Family. Papers. Z/1873.000, Reel 36543. Courtland Plantation Records. Z/2311.000S Denton, William A. Diary. Z/2028.000, Archival Reading Room. Griffith, B. W. and Rondo A. Westbrook. Papers. Z/1287.000; Box 1; Folder 10. Helm, Thomas E. Plantation Record Book. Z/0859.000, reel 35998. Magruder, James Trueman, Jr. *Mercantile Ledgers* [manuscript]. Z/1995.000.

McGehee Family. Papers, 1854-1874. Z/0899.000. Metcalfe Family. Papers. Z/1874.000, reels 36547-48. Metcalfe, Frederick Augustus. Papers. Z/1843.000. Parker, Houston Huling. Papers. Z/1710.000, reel 36319. Rabb Family. Plantation Journal. Z/1985.000. Rainwater. Z/0052.000. Shields, William F. Papers. Z/0040.000. Spencer, Horatio Nelson. Papers. Z/0196.000, cotton book. Surget-McKittrick-MacNeil Family. Papers. Z/1795.000, reel 36215. Sykes, Columbus. Papers. Z/0012.000. Taylor Family. *Plantation Ledger*. Z/2260.000. Wheless, Frederick W. Plantation Journal. Z/1986.000. Mississippi State University Library (Starkville, MS). Rice (Nannie Herndon) Family Papers. 1824-1963. Missouri Historical Society (St. Louis, MO). Jones Family. Plantation Records. North Carolina, Archives of the State of North Carolina (Raleigh, NC). Clark, James F. Plantation Book. MARS ID 539. Hall, John Green, Rice Plantation Book, MARS ID 5241. Mial, Alonzo T. and Millard. MARS ID 2968. Ohio Historical Center Archives Library (Columbus, OH). Eustatia Plantation, Mississippi, Account Book. Vol. 649. Rare Book, Manuscript, and Special Collections Library, Duke University (Durham, NC). Dromgoole, George Coke, and Richard B. Robinson. Papers, 1767-1974. Jenkins, William Horton Peace. Papers, 1845-1925. Law, William. Papers, 1761-1890. Nutt, Haller. Papers, 1816-64. Pickens, F[rancis] W[ilkinson]. Papers, 1772-1868. Sims, Joseph Starke. Papers, 1819-1903. Sydnor, Charles S. Papers, 1729-1978 and n.d. (bulk 1923-1954). Rhode Island Historical Society (Providence, RI). Woods, Alva Papers, 1817-1930.

Schwob Memorial Library, Columbus State University (Columbus, GA).

Robert S. Hardaway, Jr. Collection. MC 256.

South Carolina Historical Society (Charleston, SC).

Coffin, Ebenezer. Coffin Point Plantation Journal, 1800-1816. 34/199.
Smith, William Wragg. William Wragg Smith Papers, 1803-1859. 1118.03.01.
Webb, Daniel Cannon. Daniel Cannon Webb Plantation Journals, 1817-1850. 1154.

South Caroliniana Library, University of South Carolina (Columbia, SC).

Aiken, David. Farmers' Diary, 1855-58. Coll. 14.

Anonymous Plantation Records. Acc. 1001.

Blewett, Thomas G. Papers. Acc. 1001.

Charles and Company (Darlington County, SC). Records. Acc. 1813.

Coleman, Feaster, and Faucette Families. Papers. Acc. 12663.

Crosswell, J.R. Account Book. Acc. 1001.

Gregg, J. Eli. Papers. Day Book. 1856-57.

Guignard Family. Papers. Acc. 1001, 1425, 1938, 2527, 2630, 14120.

Guild Family. Account Book.

Huey Family. Papers. Acc. 5137.

Osteen, Thomas H. Papers. Acc. 9450.

Taylor, Washington. Journal, 1835-1855.

Thomas, John Peyre. In Thomas and Muller Family Papers

Watts, James Washington. Papers. Acc. 6010.

Southern Historical Collection, Manuscripts Department, Library of the University of North Carolina (Chapel Hill, NC).

Arrington, Archibald Hunter. Papers. 3240.

Ballard, Rice C. Papers, 1822-1888. 4580.

Bills, John Houston. Papers. 2245.

De Saussure, Louis M. Journal. 2251-z.

Ervin, William Ethelbert. Diaries. 247.

Gould. William Proctor. Diary. 1192.

Grimes Family. Papers. 3357.

Hamilton, William S. Papers. 1471.

Lewis Plantation Records. 2528.

Massenburg, Nicholas Bryor. Papers, 1834-1851. 908.

Postell, James P. Kelvin Grove Plantation Book. 2771.

Whitmore, Charles. Plantation Journal. M-2046.

Yancey, Benjamin Cudworth. Papers. 2594.

- Special Collections. Auburn University Library (Auburn, AL). Tait Family. *Papers*, 1789-1922. Memoranda.
- Special Collections. Clemson University Libraries (Clemson, SC). Overseer's Daybook (Westwood Plantation). Mss. 230.

Special Collections. Library of the University of Arkansas (Fayetteville, AR).

Currie Family. Papers. MC713.

Currie. James B. Ledger, 1851-1869.

Shugart Plantation Records. MC1075.

Special Collections. University Libraries, Virginia Polytechnic Institute & State University (Blacksburg, VA).

Overseer's Journal, 1853-1861. Ms1994-010.

Special Collections Department. Florida State University Libraries (Tallahassee, FL).

Plantation Record Book, 1836-1841. Mss. 1-10.

Special Collections. University of Tennessee. Library (Knoxville, TN.)

Lucius P. Brown. Papers. MS. 0252.

McCalley Plantation Record Books. MS.0491.

Special Collections. Yale University Library (New Haven, CN).

U. B. Phillips Papers. J. W. Fowler. Prairie Plantation.

Special Collections and University Archives. University of North Carolina, Charlotte, Library (Charlotte, NC.)

Davidson Family Papers, 1756-1998. Ms 188. Sturdivant Hall Museum (Selma, AL).

Sturdivant Hall Plantation Records.

Tennessee State Library and Archives (Nashville, TN).

Robert H. Cartmell. Papers, 1849-1915.

Dyas Collection. John Coffee. Papers, 1770-1917.

Texas Portal. https://texashistory.unt.edu/

Green Wood. Greenwood Plantation Records.

University of California, Berkeley, Library (Berkeley, CA).

Plantation Journal for "The Mountain," Mississippi [1852-64]. MICROFILM.5640.HT.

University of North Texas (Denton, TX).

"Alabama Plantation" [William C. Dyche].

University of Virginia Library (Charlottesville, VA).

Hillyer Family. Papers, 1797-1860. Acc. 2130.

Virginia Historical Society (Richmond, VA).

Mason Family. Papers. MSS1M3816c.

University of Wyoming. American Heritage Center (Laramie, WY).

Linwood Plantation ledger, 1851-61. Collection 12631.

Western Reserve Historical Society (Cleveland, OH).

A.F. Smith Plantation Records.

William P. Palmer Collection of Civil War Manuscripts. 1761-1977. Records of Chemonie and El Destino plantations.

W. S. Hoole Special Collections Library, University of Alabama (Tuscaloosa, AL).

Davis, Hugh. *Papers*. MS1611. Jackson, James. *Papers*, 1814-1884.

Sturdivant Hall Papers.

Archives & Collections Consulted Via:

Stampp, Kenneth M., ed. Records of Ante-bellum Southern Plantations from the Revolution through the Civil War [Microfilm]. Frederick, MD: University Publications of America, 1985-2000.

Series A, Selections from the South Caroliniana Library, University of South Carolina.

Caleb Coker (1802-1869) Plantation Book, 1856-1861. RASP, Ser. A, pt. 2,

reel 3.

James D. Trezevant Plantation Diary and Records, 1845-58. RASP, Ser. A, pt. 2, reel 3.

Mary Hart Means (1835-1916) Papers, 1846-1865. RASP, Ser. A, pt. 2, reel 4.

Papers of James Henry Hammond, 1795-1865. RASP, Ser. A, pt. 1, reels 1-15.

Samuel Porcher Gaillard (1811-1880) Plantation Journals, 1835-1871. RASP, Ser. A, pt. 2, reels 1-2.

Thomas Cassels Law (1811-1888) Papers, 1810-1865. RASP, Ser. A, pt. 2,

reels 7-8.

Series B, Selections from the South Carolina Historical Society.

Thomas Walter Peyre Plantation Journal, 1812-1851. RASP, Ser. B, Reel 5.

Series F, Selections from the Manuscript Department, Duke University Library.

Duncan and Dugal McCall Plantation Journals, 1832-1854. RASP, Ser. F, pt. 1, reels 4-5.

Haller Nutt Papers, 1846-1860, and Journal of Araby Plantation, 1843-1850. RASP, Ser. F, pt. 1, reel 1-2.

Joseph M. Jaynes Plantation Journals, 1854-1860. RASP, Ser. F, pt. 1, reel 1.

Rockingham Plantation Journal, 1828-1829. RASP, Ser. F, pt. 2, reel 8.

Series G, Selections from the Barker Texas History Center, University of Texas at Austin.

Barnes-Willis Family Papers, 1783–1840. RASP, Ser. G, pt. 5, reels 15-17.

Canebrake Plantation Record Books, 1856-1868. RASP, Ser. G, pt. 1, reel 11.

Green C. Duncan Papers, 1850-1865. RASP, Ser. G, pt. 1, reel 33.

James Franklin Perry and Stephen Samuel Perry Papers, 1786-1895. RASP, Ser. G, pt. 1, reels 12-31.

John P. Bolton Account Book and Plantation Records, 1853-1863. RASP,

Ser. G, pt. 1, reel 33.

Kiger Family Papers, 1820–1885. RASP, Ser. G, pt. 5, reels 25-28.

Series H, Selections from the Howard-Tilton Library, Tulane University, and the Louisiana State Museum Archives.

Bonaventure Plantation Book, 1850-1851. RASP, Ser. H, reel 1. David Rees Papers, 1803-1835. RASP, Ser. H, reels 29-30.

Series I, Selections from Louisiana State University.

Alexander Blanche Plantation Journal, 1851-1856. RASP, Ser. I, pt. 3, reel 14.
James A. Gillespie Papers, RASP. Series I, Pt 3, Reel 14.
John H. Randolph Papers, 1822-1865. RASP, Ser. I, pt. 1, reels 14-15.
Joseph Toole Robinson Papers, 1830s and 1853-1861. RASP, Ser. I, pt. 2, reel 20.

LeBlanc Family Papers, 1812-1866. RASP, Ser. I, pt. 2, reel 17. Lewis Stirling and Family Papers, 1784-1865. RASP, Ser. I, pt. 2, reels 21-25. Nathaniel Evans and Family Papers, 1791-1865. RASP, Ser. I, pt. 2, reels 1-10. Pre Aux Cleres Plantation Record Books, 1852-1854. RASP, Ser. I, pt. 2, reel 19.

Series J, Selections from the Southern Historical Collection, Manuscripts Department, Library of the University of North Carolina at Chapel Hill.

Benjamin Franklin Little Papers, 1806-1935. RASP, Ser. J, pt. 13, reels 38-39.
Branch Family Papers, 1788-1866. RASP, Ser. J, pt. 4, reels 45-47.
Francis Terry Leak Papers, 1839–1865. RASP, Ser. J, pt. 6, reels 24-27.
George J. Kollock Plantation Books, 1837-1861 RASP, Ser. J, pt. 4, reels 2-3.
Jackson and Prince Family Papers, 1784-1880. RASP, Ser. J, pt. 4, reels 25-36.
John Durant Ashmore Plantation Journal, 1853-1859. RASP, Ser. J, pt. 3, reel 27.
John Edwin Fripp Papers, 1817-1905. RASP, Ser. J, pt. 3, reel 25.
Nicholas Bryor Massenburg Papers, 1834-1851. RASP, Ser. J, pt. 13, reels 1-2.
Cameron Family Papers, 1816-84. RASP. Ser. J, pt. 7, reel 6.
Phanor Prudhomme Papers, 1804-1940. RASP, Ser. J, pt. 5, reels 15-17.
Ruffin, Roulhac, and Hamilton Family Papers (James H. Ruffin Plantation Records), 1841–1848. RASP, Ser. J, pt. 7, reel 7.
Wyche and Otey Family Papers, 1824–1900 and 1935–1936. RASP, Ser. J, pt. 7, reels 9-12.

Series M, Selections from the Virginia Historical Society.

Baskervill Family Papers, 1747–1928. RASP, Ser. M, pt. 5, reels 2-8. Bassett Family Papers, 1728–1923. RASP, Ser. M, pt. 3, reels 1-4. Mason Family Papers, 1789–1965. RASP, Ser. M, pt. 5, reels 36-46.

Series N, Selections from the Mississippi Department of Archives and History.

Aventine Plantation Diary, 1857–1860. RASP, Ser. N, reel 1. Charles Clark and Family Collection, 1810–1892. RASP, Ser. N, reels 4-5. Elley Plantation Book, 1855–1856. Series N, Reel 10 James T. Magruder Account Book and Plantation Journal, 1796-1818. RASP, Ser. N, reel 12.

James T. Magruder Cotton Book, 1818–1830. RASP, Ser. N, reel 12. Killona Plantation Journals, 1836–[1840]. RASP, Ser. N, reel 12. Levin Covington Diary, 1825–1845. RASP, Ser. N, reel 5. Panther Burn Journals, 1859-1883. RASP, Ser. N, reel 12. Walter Wade Plantation Diaries, 1834–1854. RASP, Ser. N, reel 18.

- Berlin, Ira, ed. Records of Southern Plantations from Emancipation to the Great Migration. [Microfilm]. Bethesda, MD: University Publications of America, 2001.
- Series A. Selections from the Rare Book, Manuscript, and Special Collections Library, Duke University.

David Miller Carter Papers, 1858–1903. Ser. A, pt. 2, reel 4.

Series C. Selections from South Caroliniana Library, University of South Carolina. Townsend Mikell papers. Ser. C, pt. 2, in Proquest History Vault.

Scott, Anna Firor, Ed. <u>Southern Women and Their Families in the 19th Century: Papers</u> <u>and Diaries.</u> [Microfilm]. Bethesda, MD: University Publications of America, 1991.

Series F. Holdings of the Center for American History, University of Texas.

Geo. Rhodes Benson Papers. 1845063. Ser. F, reel 1.

Single Publications

- Davis, Edwin A., ed. Plantation Life in the Florida Parishes of Louisiana, 1836-1846, As Reflected in the Diary of Bennet H. Barrow. New York: AMS Press, 1967.
- Kilpatrick, Dr. "Historical and Statistical Collections of Louisiana: The Parish of Catahoula, Part 2." *De Bow's Review* 12, no. 6 (1852): 631-46.
- "The Plantation Journal of John B. Webster, February 17, 1858-November 5, 1859," *Southwestern Historical Quarterly* 84, no. 1 (July 1980).

Whartenby, Franklee Gilbert. Land and Labor Productivity in United States Cotton Production, 1800-1840. New York: Arno Press, 1977.



Figure 1: Estimates of age/gender conversion ratios into equivalent prime-age males





during the week commencing on the set uny of Overseer.							1	
NAME.	No.	Monday.	Tuesday.	Wednesday.	Thursday.	Friday.	Saturday.	Week's Picking.
I C		22	23	24	2 5	2. 4	27	
10	1		a		2		· · >	160
hoe custis	2	230	200	275	210)	280	110	100
Vec	3	255	240	Breeze	270	2 7 5	20	160
im Junger	*	Sim	2	from.		Sin	Asisi	25020
elson	D	150	160.	165	180	165	140	76
yeen	6	Sich	585	175	160	Side	short .	4.2
a chrond	7	130	185	150	170	145	145	- 71
lobome	8	230	175	531	Sin	Sin	Tarje	40
misan	9	155	165	150	165	185	115	9.9
- Jata	10	Pross	ann	mg/h	2235	on u	- 22	
e fgrins	11	115	110	Labort,	145	115	131	61
Les ham	12	75	75	50	5 5-	50	100	43
liney	13	150	145	185	150	190	Trop	86
ffed son	14	240	230	251	2 5-5	265	27 5-	151
n Peti	15	Sin	Sim	Thep	Sin	Ain	Sick	and the second
nohsan	16	Sin	Sin	Thep	fin	sin	Trep	sain.
com Cane	17 .	125	Sin	Prep	sin	Sin	Bush	. 12
	18	185	185	185	921	9.10	211	119
Taling	19	160	165	Prep	165	164-	165	84
Phere	20	85	140	11-1	100	110	111	5-7
17	21	155	155	155	160	161	170	95
the range	22	190	79.1	935	2.41	2 115	243-	137
321	0.0	1.1.5-	210	211	2 100	11:15	5. M	112
ich.	20	192-	124 1	110	1 5- 5-	1 5-11	140	83
.e.t	24	120	120	1 71 0	1	1:4	1.1	75
elaborn.	25	210	11.	230	1 2		- 7 10	129
neep	26	100	200	223	223	230	233	90
laan.	27	250	180	2/3	1285	Sach	1.00	14
jut	28	12.0	130	135	130	150	145	81
_	29	1344	13 3	1.2.8 %	1			
Clans	30 .	Rusing	30	Saile	Side	Siche	Ju dk	3
len	31	1 5 5	161	1 5 5	- Soch	Aich	Ande	47
taj Oraun	32	145	1 %0	170	1 55	150	160	93
enny	\$3	160	165	17 5-	17.5	T dack		67
hung	34	140	Rusing	hind	50	130	150	50
bary front	85	165	160	165	-175	175	180	102
hom	. 86	140	145	140	165	175-	170	95
erdy .	37	70	83	- 85	1.15	90	85	5-3
la badani	38	85	a	560	105	Lik	ahit	16
Hotiera	89	Sin	550	110	120	115	115	- 51
4	40	111	100	110	131	-130	130	71

Figure 2: Record from Eustatia Cotton Book



Figure 3:



Panel A: Percent of Total Days Picking Cotton by Age and Gender, 1801-62

Panel B: Cotton Picked Per Day by Age and Gender, 1801-62





Panel C: Percent of Total Cotton Picked by Age and Gender, 1801-62

Figure 4: Histograms of Picking Day Distributions by Weeks

Panel A: Comparing 1801-39 and 1840-62 samples



Panel B: Comparing Females and Males



Panel C: Comparing Old and New South





Figure 5: Picking Output Distributions for Adult Females and Males for 1840-62 Sample



Figure 6: Distribution of Picking Observations by Age for 1840-62 Sample



Figure 7: Lowess Regression Estimates of Age-Gender Picking Rate Profiles



Figure 8: Variations in Picking Rates over the Lifecycle and Season Panel A: Creesy (born 1836)

Variable	Obs	Mean	Std. Dev.	Min	Max
Daily Pick	755005	123.9621	70.62924	1	2725
Log of Pick	755005	4.637849	0.654755	0	7.910223
Female_Adult	755005	0.443987	0.496853	0	1
Female_Child	755005	0.063536	0.243924	0	1
Male_Adult	755005	0.425842	0.494470	0	1
Male_Child	755005	0.066635	0.249390	0	1
Year	755005	1850.606	10.3498	1801	1862
Crop_year	755005	1850.578	10.5351	1801	1862
New South	755005	0.883411	0.320930	0	1
YOB	755005	1830.255	14.1544	1751	1858
Age	299441	22.1741	14.0084	0	86
Monday	755005	0.165410	0.373580	0	1
Tuesday	755005	0.167677	0.375407	0	1
Wednesday	755005	0.169743	0.375407	0	1
Thursday	755005	0.170613	0.376171	0	1
Friday	755005	0.164909	0.371099	0	1
Saturday	755005	0.151181	0.358224	0	1
Sunday	755005	0.016073	0.146354	0	1
Half_day	755005	0.007197	0.084531	0	1
Season	755005	106.9345	35.7278	1	268
Pickers_Day	755005	37.3774	19.1168	1	101
Pickers_Year	755005	50.3200	23.2052	4	106

Table 1: Selected Statistics of Sample Variables

Table 2: Determinants of Daily Picking Rates

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		Dependent	Variable: Log	of Daily Picki	ng Quantity
Region Constant All -10.501 Old -32.010 New -12.215 All -49.076 Constant -0.107 -0.1488 -0.1017 (0.209) (0.349) Female Adult -0.1107 -0.1488 -0.1017 (0.0034) (0.0034) Female Child -0.6854 -0.2648 -0.7467 -0.4872 Child -0.749 -0.3597 -0.8062 -0.5542 Male Child -0.749 -0.3597 -0.8062 -0.5542 (0.0035) (0.0103) (0.0037) (0.0104) Tuesday 0.0252 0.0338 0.0174 0.0184 (0.0024) (0.0075) (0.0024) (0.0055) Wednesday 0.0422 0.0743 0.0380 0.0137 (0.0024) (0.0073) (0.0024) (0.0056) 0.0198 Friday 0.0303 0.0915 0.0198 0.0294 (0.0025) (0.0076) (0.0026) (0.0058) Half-Day -0.4931 -0.6004 -0.4645 -0.5542	Time Period	1840-62	1840-62	1840-62	1801-39
$\begin{array}{cccc} {\rm Constant} & -10.501 & -32.010 & -12.215 & -49.076 \\ (0.201) & (0.605) & (0.209) & (0.349) \\ \\ {\rm Female} & & & & & & & & & & & & & & & & & & &$	Region	All	Old	New	All
(0.201) (0.605) (0.209) (0.349) Female Adult -0.1107 (0.0014) -0.1488 (0.0046) -0.1017 (0.0014) 0.0251 (0.0034) Female Child -0.6854 (0.0034) -0.2648 (0.0033) -0.7467 (0.0037) -0.4872 (0.0107) Male Child -0.749 (0.0035) -0.3597 (0.0103) -0.8062 (0.0037) -0.5542 (0.0104) Tuesday 0.0252 (0.0024) 0.0338 (0.0075) 0.0174 (0.0024) 0.0184 (0.0024) Wednesday 0.0422 (0.0024) 0.0743 (0.0073) 0.0360 (0.0024) 0.0263 	Constant	-10.501	-32.010	-12.215	-49.076
Female Adult -0.1107 $(0.0014)-0.1488(0.0046)-0.1017(0.0014)0.0251(0.0034)FemaleChild-0.6854(0.0034)-0.2648(0.0103)-0.7467(0.0037)-0.4872(0.0107)Male Child-0.749(0.0035)-0.3597(0.0103)-0.8062(0.0037)-0.5542(0.0104)Tuesday0.0252(0.0024)0.0383(0.0075)0.0174(0.0024)0.0184(0.0024)Wednesday0.0422(0.0024)0.0743(0.0073)0.0360(0.0024)0.0263(0.0024)Thursday0.0440(0.0024)0.0746(0.0073)0.0380(0.0024)0.0137(0.0024)Friday0.0303(0.0024)0.0915(0.0075)0.0198(0.0024)0.0263(0.0056)Saturday-0.0134(0.0073)-0.6004(0.0076)-0.4645(0.0076)-0.5542(0.0073)Half-Day-0.4931(0.0073)-0.6004(0.0018)-0.0022(0.0003)-0.0002(0.0001)Season^2-0.0002(2.9E-06)-0.0003(1.6E-05)-0.0002(3.0E-06)-0.0002(1.0E-05)Season^35.34E-07(7.9E-09)-0.0087(4.4E-08)-0.0087(0.0001)0.0286(0.0002)No. of Obs.662.2640.1938.39700.110578.2940.2309.7410.374$		(0.201)	(0.605)	(0.209)	(0.349)
Adult -0.1107 (0.0014) -0.1488 (0.0046) -0.1017 (0.0014) 0.0251 (0.0034) Female Child -0.6854 (0.0034) -0.2648 (0.0103) -0.7467 (0.0037) -0.4872 (0.0107) Male Child -0.749 (0.0035) -0.3597 (0.0103) -0.8662 (0.0037) -0.5542 (0.0104) Tuesday 0.0252 (0.0024) 0.0338 (0.0075) 0.0174 (0.0024) 0.0184 (0.0024) Wednesday 0.0422 (0.0024) 0.0743 (0.0073) 0.0360 (0.0024) 0.0263 (0.0024) Thursday 0.0440 (0.0024) 0.0746 (0.0073) 0.0380 (0.0024) 0.0137 (0.0024) Friday 0.0303 (0.0024) 0.0915 (0.0075) 0.0198 (0.0026) 0.0294 (0.0056) Saturday -0.134 (0.0025) 0.0384 (0.0076) -0.0224 (0.0026) -0.5542 (0.0058) Half-Day -0.4931 (0.0033) -0.6004 (0.0018) -0.4645 (0.0076) -0.5542 (0.0003) Season^2 -0.0002 $(2.9E-06)$ -0.0003 $(1.6E-05)$ -0.0002 $(3.0E-06)$ -0.0002 $(1.0E-05)$ Season^3 $5.34E-07$ $(7.9E-07)$ $5.34E-07$ $(2.8E-08)$ 0.087 (0.0001) 0.0286 (0.0002) No. of Obs. $662,264$ $83,970$ 8.3970 0.110 0.230 0.374 0.374	Fomolo				
Adult 0.1107 0.1433 0.1017 0.0231 (0.0014) (0.0046) (0.0014) (0.0034) Female -0.6854 -0.2648 -0.7467 -0.4872 (0.0034) (0.0103) (0.0037) (0.0107) Male Child -0.749 -0.3597 -0.8062 -0.5542 (0.0035) (0.0103) (0.0037) (0.0104) Tuesday 0.0252 0.0338 0.0174 0.0184 (0.0024) (0.0075) (0.0024) (0.0055) Wednesday 0.0422 0.0743 0.0360 0.0263 (0.0024) (0.0073) (0.0024) (0.0055) Thursday 0.0440 0.0746 0.0380 0.0137 (0.0024) (0.0073) (0.0024) (0.0056) Friday 0.0303 0.0915 0.0198 0.0294 (0.0025) (0.0076) (0.0026) (0.0056) Saturday -0.0134 0.0384 -0.0224 -0.0126 (0.0073) (0.0076) (0.0076) (0.0076) (0.0073) (0.0186) (0.0076) (0.0026) Half-Day -0.4931 -0.6004 -0.4645 -0.5542 (0.0033) (0.001) (0.0003) (0.0002) Season^2 -0.0002 -0.0002 $(2.9E-06)$ $(1.6E-05)$ $(3.0E-06)$ $(1.0E-05)$ $(3.0E-06)$ $(1.0E-05)$ Season^3 $5.34E-07$ $7.97E-07$ $5.34E-07$ $3.72E-07$ $(2.9E-08)$ (0.0018) </td <td>Adult</td> <td>-0.1107</td> <td>-0 1/99</td> <td>-0.1017</td> <td>0.0251</td>	Adult	-0.1107	-0 1/99	-0.1017	0.0251
Female Child -0.6854 (0.0034) -0.2648 (0.0103) -0.7467 (0.0037) -0.4872 (0.0107)Male Child -0.749 (0.0035) -0.3597 (0.0103) -0.8062 (0.0037) -0.5542 (0.0104)Tuesday 0.0252 (0.0024) 0.0338 (0.0075) 0.0024) 0.0184 (0.0025)Wednesday 0.0422 (0.0024) 0.0743 (0.0073) 0.0360 (0.0024) 0.0263 (0.0025)Thursday 0.0440 (0.0024) 0.0746 (0.0073) 0.0380 (0.0024) 0.0263 (0.0025)Thursday 0.0440 (0.0024) 0.0746 (0.0073) 0.0024) 0.0055)Friday 0.0303 (0.0024) 0.0915 (0.0075) 0.0198 (0.0024) 0.0294 (0.0056)Saturday -0.0134 (0.0025) 0.0384 (0.0076) -0.0224 (0.0026) -0.5542 (0.0076)Half-Day -0.4931 (0.0073) -0.6004 (0.0076) -0.6002 (0.0026) -0.0002 (0.0011)Season^2 -0.0002 (2.9E-06) -0.0003 (1.6E-05) -0.0002 (3.0E-06) -0.0002 (1.0E-05)Season^3 $5.34E-07$ (7.9E-09) $7.97E-07$ (3.4E-07) (2.8E-08) $3.72E-07$ (2.8E-08)Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0002)No. of Obs. 662.264 (0.0011) 83.970 (0.193) 0.110 (0.230) 0.374	Adult	(0.0014)	(0.0016)	(0.0014)	(0.0231)
Female Child -0.6854 (0.0034) -0.2648 (0.0103) -0.7467 (0.0037) -0.4872 (0.0107) Male Child -0.749 (0.0035) -0.3597 (0.0103) -0.8062 (0.0037) -0.5542 (0.0104) Tuesday 0.0252 (0.0024) 0.0338 (0.0075) $0.0037)$ $0.0104)$ Tuesday 0.0225 (0.0024) 0.0338 (0.0075) $0.0024)$ 0.0184 (0.0055) Wednesday 0.0422 (0.0024) 0.0743 (0.0073) 0.0360 (0.0024) 0.0263 (0.0024) Thursday 0.0440 (0.0024) 0.0746 (0.0075) 0.0380 (0.0024) 0.0137 (0.0024) Friday 0.0303 (0.0024) 0.01915 (0.0075) 0.0198 (0.0024) 0.0294 (0.0056) Saturday -0.134 (0.0025) 0.0384 (0.0076) -0.0126 (0.0026) Half-Day -0.4931 (0.0073) -0.6004 (0.0018) -0.6024 (0.0003) Season 0.0276 (0.0033) -0.0002 (0.0003) -0.0002 (0.0003) Season^2 -0.0002 $(2.9E-06)$ -0.0003 $(1.6E-05)$ -0.0002 $(3.0E-06)$ Season^3 $5.34E-07$ $(7.9E-09)$ $7.97E-07$ $(4.4E-08)$ $5.34E-07$ $(8.0E-09)$ 0.286 (0.0001) No. of Obs. 662.264 (0.0003) 0.0087 (0.0003) 0.0281 No. of Obs. 662.264 (0.193) 0.110 0.230 0.374		(0.0014)	(0.0040)	(0.0014)	(0.0034)
Child -0.6854 (0.0034) -0.2648 (0.0103) -0.7467 (0.0037) -0.4872 (0.0107)Male Child -0.749 (0.0035) -0.3597 (0.0103) -0.8062 (0.0037) -0.5542 (0.0104)Tuesday 0.0252 (0.0024) 0.0037 (0.0075) 0.0024 (0.0024) 0.0024 (0.0075)Wednesday 0.0422 (0.0024) 0.0743 (0.0073) 0.0360 (0.0024) 0.0263 (0.0025)Thursday 0.0440 (0.0024) 0.0746 (0.0073) 0.0380 (0.0024) 0.0137 (0.0024)Thursday 0.0440 (0.0073) 0.0746 (0.0024) 0.0024 (0.0024) 0.0024 Friday 0.0303 (0.0024) 0.0915 (0.0024) 0.0198 (0.0026) 0.0294 (0.0056)Saturday -0.0134 (0.0073) 0.0384 (0.0076) -0.0224 (0.0026) -0.0126 (0.0058)Half-Day -0.4931 (0.0073) -0.6004 (0.0076) -0.4645 (0.0076) -0.5542 (0.0011)Season^2 -0.0002 (2.9E-06) -0.0003 (1.6E-05) -0.0002 (3.0E-06) -0.0002 (1.0E-05)Season^3 $5.34E-07$ (7.9E-09) $7.97E-07$ (4.4E-08) (8.0E-09) $3.72E-07$ (2.8E-08)Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0286 (0.0001)No. of Obs. 662.264 (0.0013) 83.970 (0.110) 578.294 (0.0001) 92.741 (0.0002)	Female				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Child	-0.6854	-0.2648	-0.7467	-0.4872
Male Child -0.749 (0.0035) -0.3597 (0.0103) -0.8062 (0.0037) -0.5542 (0.0104) Tuesday 0.0252 (0.0024) 0.0338 (0.0075) 0.0174 (0.0024) 0.0184 (0.0055) Wednesday 0.0422 (0.0024) 0.0743 (0.0073) 0.0360 (0.0024) 0.0263 (0.0055) Thursday 0.0440 (0.0024) 0.0746 (0.0073) 0.0380 (0.0024) 0.0137 (0.0024) Friday 0.0303 (0.0024) 0.0915 (0.0075) 0.0198 (0.0026) 0.0294 (0.0056) Saturday -0.0134 (0.0025) 0.0384 (0.0076) -0.0224 (0.0026) -0.0126 (0.0058) Half-Day -0.4931 (0.0073) -0.6004 (0.0018) -0.4645 (0.0003) -0.5542 (0.0001) Season 0.0276 (0.0003) -0.0002 (0.0003) -0.0002 (0.0003) -0.0002 (0.0003) Season^2 -0.0002 $(2.9E-06)$ -0.0003 $(1.6E-05)$ -0.0002 $(3.0E-06)$ -0.0002 $(2.8E-08)$ Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0001) 0.0286 (0.0001) No. of Obs. $662,264$ 0.193 $83,970$ 0.110 $578,294$ 0.230 $92,741$ R^2		(0.0034)	(0.0103)	(0.0037)	(0.0107)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Male Child	-0 749	-0.3597	-0.8062	-0.5542
Tuesday 0.0252 0.0338 0.0174 0.0184 Wednesday 0.0422 0.0743 0.0360 0.0263 Wednesday 0.0422 0.0743 0.0360 0.0263 Thursday 0.0440 0.0746 0.0380 0.0137 Thursday 0.0440 0.0746 0.0380 0.0137 Thursday 0.0303 0.0915 0.0198 0.0294 Friday 0.0303 0.0915 0.0198 0.0294 Good24) (0.0075) (0.0024) (0.0056) Saturday -0.0134 0.0384 -0.0224 -0.0126 Good25) (0.0076) (0.0026) (0.0058) Half-Day -0.4931 -0.6004 -0.4645 -0.5542 Good3 (0.0073) (0.0186) (0.0003) (0.0001) Season 0.0276 0.0414 0.0290 -0.0002 Season^2 -0.0002 -0.0003 -0.0002 $(1.0E-05)$ Season^3 $5.34E-07$ $7.97E-07$ $5.34E-07$ $3.72E-07$ Cropyear 0.0078 0.0189 0.0087 0.0286 No, of Obs. 662.264 83.970 578.294 92.741 R^2 0.193 0.110 0.230 0.374	Male ennu	(0.035)	(0.0007)	(0.0002)	(0.0042)
Tuesday 0.0252 0.0338 0.0174 0.0184 Wednesday 0.0422 0.0743 0.0360 0.0263 Wednesday 0.0422 0.0743 0.0360 0.0263 Thursday 0.0440 0.0746 0.0380 0.0137 Thursday 0.0440 0.0746 0.0380 0.0137 Friday 0.0303 0.0915 0.0198 0.0294 Saturday -0.0134 0.0384 -0.0224 -0.0126 Saturday -0.0134 0.0384 -0.0224 -0.0126 (0.0025) (0.0076) (0.0026) (0.0058) Half-Day -0.4931 -0.6004 -0.4645 -0.5542 (0.0073) (0.0186) (0.0076) (0.001) Season 0.0276 0.0414 0.0290 -0.0002 $(2.9E-06)$ $(1.6E-05)$ $(3.0E-06)$ $(1.0E-05)$ Season^2 -0.0002 -0.0002 (0.0073) (0.0087) Season^3 $5.34E-07$ $7.97E-07$ $5.34E-07$ $3.72E-07$ Cropyear 0.0078 0.0189 0.0087 0.0286 No, of Obs. 662.264 83.970 578.294 92.741 R^2 0.193 0.110 0.230 0.374		(0.0000)	(0.0103)	(0.0007)	(0.0104)
(0.0024) (0.0075) (0.0024) (0.0055) Wednesday 0.0422 0.0743 0.0360 0.0263 (0.0024) (0.0073) (0.0024) (0.0055) Thursday 0.0440 0.0746 0.0380 0.0137 (0.0024) (0.0073) (0.0024) (0.0056) Friday 0.303 0.0915 0.0198 0.0294 (0.0024) (0.0075) (0.0024) (0.0056) Saturday -0.0134 0.0384 -0.0224 -0.0126 (0.0025) (0.0076) (0.0026) (0.0058) Half-Day -0.4931 -0.6004 -0.4645 -0.5542 (0.0073) (0.0186) (0.0076) (0.001) Season 0.0276 0.0414 0.0290 -0.0002 $(2.9E-06)$ $(1.6E-05)$ $(3.0E-06)$ $(1.0E-05)$ Season^3 $5.34E-07$ $7.97E-07$ $5.34E-07$ $3.72E-07$ $(2.8E-08)$ (0.0001) (0.0003) (0.0021) No, of Obs. $662,264$ $83,970$ $578,294$ $92,741$ R^2 0.193 0.110 0.230 0.374	Tuesday	0.0252	0.0338	0.0174	0.0184
Wednesday 0.0422 0.0743 0.0360 0.0263 Thursday 0.0440 0.0746 0.0024 (0.0024) Thursday 0.0440 0.0746 0.0380 0.0137 (0.0024) (0.0073) (0.0024) (0.0056) Friday 0.0303 0.0915 0.0198 0.0294 (0.0025) (0.0075) (0.0024) (0.0056) Saturday -0.0134 0.0384 -0.0224 -0.0126 (0.0025) (0.0076) (0.0026) (0.0058) Half-Day -0.4931 -0.6004 -0.4645 -0.5542 (0.0073) (0.0186) (0.0076) (0.0021) Season 0.0276 0.0414 0.0290 -0.0002 $(2.9E-06)$ $(1.6E-05)$ $(3.0E-06)$ $(1.0E-05)$ Season^3 $5.34E-07$ $7.97E-07$ $5.34E-07$ $3.72E-07$ $(2.8E-08)$ (0.0001) (0.0003) (0.0001) (0.0002) No, of Obs. $662,264$ 83.970 $578,294$ $92,741$ R^2 0.193 0.110 0.230 0.374		(0.0024)	(0.0075)	(0.0024)	(0.0055)
wednesday 0.0422 0.0743 0.0300 0.0203 Thursday 0.0440 0.0746 0.0380 0.0137 Thursday 0.0024 (0.0073) (0.0024) (0.0056) Friday 0.0303 0.0915 0.0198 0.0294 (0.0024) (0.0075) (0.0024) (0.0056) Saturday -0.0134 0.0384 -0.0224 -0.0126 (0.0025) (0.0076) (0.0026) (0.0058) Half-Day -0.4931 -0.6004 -0.4645 -0.5542 (0.0073) (0.0186) (0.0076) (0.0012) Season 0.0276 0.0414 0.0290 -0.0002 (0.0003) (0.0018) (0.0003) (0.0002) Season^2 -0.0002 -0.0003 -0.0002 $(2.9E-06)$ $(1.6E-05)$ $(3.0E-06)$ $(1.0E-05)$ Season^3 $5.34E-07$ $7.97E-07$ $5.34E-07$ $3.72E-07$ $(7.9E-09)$ $(4.4E-08)$ $(8.0E-09)$ $(2.8E-08)$ Cropyear 0.0078 0.0189 0.0087 0.0286 (0.0001) (0.0003) (0.0001) (0.0002) No. of Obs. 662.264 83.970 578.294 92.741 R^2 0.193 0.110 0.230 0.374	Wedneedeu	0.0499	0.0742	0.0260	0.0262
Thursday (0.0024) (0.0073) (0.0024) (0.0033) Thursday 0.0440 0.0746 0.0380 0.0137 (0.0024) (0.0073) (0.0024) (0.0056) Friday 0.0303 0.0915 0.0198 0.0294 (0.0024) (0.0075) (0.0024) (0.0056) Saturday -0.0134 0.0384 -0.0224 -0.0126 (0.0025) (0.0076) (0.0026) (0.0058) Half-Day -0.4931 -0.6004 -0.4645 -0.5542 (0.0073) (0.0186) (0.0076) (0.0013) Season 0.0276 0.0414 0.0290 -0.0002 (0.0003) (0.0018) (0.0003) (0.0001) Season^2 -0.0002 -0.0003 -0.0002 $(2.9E-06)$ $(1.6E-05)$ $(3.0E-06)$ $(1.0E-05)$ Season^3 $5.34E-07$ $7.97E-07$ $5.34E-07$ $3.72E-07$ $(7.9E-09)$ $(4.4E-08)$ $(8.0E-09)$ $(2.8E-08)$ Cropyear 0.0078 0.0189 0.0087 0.0286 (0.0001) (0.0003) (0.0001) (0.0002) No. of Obs. 662.264 83.970 578.294 92.741 R^2 0.193 0.110 0.230 0.374	wednesday	(0.0422)	(0.0743)	(0.0300)	(0.0203)
Thursday 0.0440 0.0746 0.0380 0.0137 (0.0024)(0.0073)(0.0024)(0.0056)Friday 0.0303 0.0915 0.0198 0.0294 (0.0024)(0.0075)(0.0024)(0.0056)Saturday -0.0134 0.0384 -0.0224 -0.0126 (0.0025)(0.0076)(0.0026)(0.0058)Half-Day -0.4931 -0.6004 -0.4645 -0.5542 (0.0073)(0.0186)(0.0076)(0.0413)Season 0.0276 0.0414 0.0290 -0.0002 (0.0003)(0.0018)(0.0003)(0.0001)Season^2 -0.0002 -0.0003 -0.0002 (2.9E-06) $(1.6E-05)$ $(3.0E-06)$ $(1.0E-05)$ Season^3 $5.34E-07$ $7.97E-07$ $5.34E-07$ $3.72E-07$ (2.8E-08) (0.0001) (0.0003) (0.0001) (0.0022) No. of Obs. $662,264$ $83,970$ $578,294$ $92,741$ R^2 0.193 0.110 0.230 0.374		(0.0024)	(0.0073)	(0.0024)	(0.0055)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Thursday	0.0440	0.0746	0.0380	0.0137
Friday 0.0303 (0.0024) 0.0915 (0.0075) 0.0198 (0.0024) 0.0294 (0.0056) Saturday -0.0134 (0.0025) 0.0384 (0.0076) -0.0224 (0.0026) -0.0126 (0.0058) Half-Day -0.4931 (0.0073) -0.6004 (0.0186) -0.4645 (0.0076) -0.5542 (0.0413) Season 0.0276 (0.0003) 0.0414 (0.0018) 0.0290 (0.0003) -0.0002 (0.0001) Season^2 -0.0002 $(2.9E-06)$ -0.0003 $(1.6E-05)$ -0.0002 $(3.0E-06)$ -0.0002 $(1.0E-05)$ Season^3 $5.34E-07$ $(7.9E-09)$ $7.97E-07$ $(4.4E-08)$ $5.34E-07$ $(8.0E-09)$ $3.72E-07$ $(2.8E-08)$ Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0001) 0.0286 (0.0002) No. of Obs. 662.264 0.193 83.970 0.110 578.294 0.230 92.741 0.374		(0.0024)	(0.0073)	(0.0024)	(0.0056)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Friday	0 0303	0.0915	0.0198	0.0294
Saturday -0.0134 (0.0025) 0.0384 (0.0076) -0.0224 (0.0026) -0.0126 (0.0058)Half-Day -0.4931 (0.0073) -0.6004 (0.0186) -0.4645 (0.0076) -0.5542 (0.0018)Season 0.0276 (0.0003) 0.0414 (0.0018) 0.0290 (0.0003) -0.0002 (0.0001)Season^2 -0.0002 (2.9E-06) -0.0003 (1.6E-05) -0.0002 (3.0E-06) -0.0002 (1.0E-05)Season^3 $5.34E-07$ (7.9E-09) $7.97E-07$ (4.4E-08) $5.34E-07$ (8.0E-09) $3.72E-07$ (2.8E-08)Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0001) 0.0286 (0.0002)No. of Obs. $662,264$ 0.193 $83,970$ 0.110 $578,294$ 0.230 $92,741$ 0.374	Tilday	(0.0003)	(0.0075)	(0.0130)	(0.0254)
Saturday -0.0134 (0.0025) 0.0384 (0.0076) -0.0224 (0.0026) -0.0126 (0.0058) Half-Day -0.4931 (0.0073) -0.6004 (0.0186) -0.4645 (0.0076) -0.5542 (0.0413) Season 0.0276 (0.0003) 0.0414 (0.0018) 0.0290 (0.0003) -0.0002 (0.0001) Season^2 -0.0002 $(2.9E-06)$ -0.0003 $(1.6E-05)$ -0.0002 $(3.0E-06)$ -0.0002 $(1.0E-05)$ Season^3 $5.34E-07$ $(7.9E-09)$ $7.97E-07$ $(4.4E-08)$ $5.34E-07$ $(8.0E-09)$ $3.72E-07$ $(2.8E-08)$ Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0001) 0.0286 (0.0001) No. of Obs. $662,264$ 0.193 $83,970$ 0.110 $578,294$ 0.230 $92,741$ 0.374		(0.0024)	(0.0073)	(0.0024)	(0.0030)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Saturday	-0.0134	0.0384	-0.0224	-0.0126
Half-Day -0.4931 (0.0073) -0.6004 (0.0186) -0.4645 (0.0076) -0.5542 (0.0413) Season 0.0276 (0.0003) 0.0414 (0.0018) 0.0290 (0.0003) -0.0002 (0.0001) Season^2 -0.0002 $(2.9E-06)$ -0.0003 $(1.6E-05)$ -0.0002 $(3.0E-06)$ -0.0002 $(1.0E-05)$ Season^3 $5.34E-07$ $(7.9E-09)$ $7.97E-07$ $(4.4E-08)$ $5.34E-07$ $(8.0E-09)$ $3.72E-07$ $(2.8E-08)$ Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0001) 0.0286 (0.0002) No. of Obs. $662,264$ 0.193 $83,970$ 0.110 $578,294$ 0.230 $92,741$ 0.374		(0.0025)	(0.0076)	(0.0026)	(0.0058)
Half-Day -0.4931 -0.6004 -0.4645 -0.5542 (0.0073)(0.0186)(0.0076)(0.0413)Season 0.0276 0.0414 0.0290 -0.0002 (0.0003)(0.0018)(0.0003)(0.0001)Season^2 -0.0002 -0.0003 -0.0002 -0.0002 (2.9E-06)(1.6E-05)(3.0E-06)(1.0E-05)Season^3 $5.34E-07$ $7.97E-07$ $5.34E-07$ $3.72E-07$ (7.9E-09)(4.4E-08)(8.0E-09)(2.8E-08)Cropyear 0.0078 0.0189 0.0087 0.0286 (0.0001)(0.0003)(0.0001)(0.0002)No. of Obs. $662,264$ $83,970$ $578,294$ $92,741$ R^2 0.193 0.110 0.230 0.374		0 (001	0,000,0	0.4045	0.55.40
Season 0.0276 (0.0073) 0.0414 (0.00186) 0.0290 (0.0003) -0.0002 (0.0003) Season^2 -0.0002 $(2.9E-06)$ -0.0003 $(1.6E-05)$ -0.0002 $(3.0E-06)$ -0.0002 $(1.0E-05)$ Season^3 $5.34E-07$ $(7.9E-09)$ $7.97E-07$ $(4.4E-08)$ $5.34E-07$ $(8.0E-09)$ $3.72E-07$ $(2.8E-08)$ Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0001) 0.0286 (0.0001) No. of Obs. $662,264$ 0.193 $83,970$ 0.110 $578,294$ 0.230 $92,741$ 0.374	Half-Day	-0.4931	-0.6004	-0.4645	-0.5542
Season 0.0276 (0.0003) 0.0414 (0.0018) 0.0290 (0.0003) -0.0002 (0.0001) Season^2 -0.0002 $(2.9E-06)$ -0.0003 $(1.6E-05)$ -0.0002 $(3.0E-06)$ -0.0002 $(1.0E-05)$ Season^3 $5.34E-07$ $(7.9E-09)$ $7.97E-07$ $(4.4E-08)$ $5.34E-07$ $(8.0E-09)$ $3.72E-07$ $(2.8E-08)$ Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0001) 0.0286 (0.0002) No. of Obs. $662,264$ 0.193 $83,970$ 0.110 $578,294$ 0.230 $92,741$ 0.374		(0.0073)	(0.0186)	(0.0076)	(0.0413)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Season	0.0276	0.0414	0.0290	-0.0002
Season^2 -0.0002 (2.9E-06) -0.0003 (1.6E-05) -0.0002 (3.0E-06) -0.0002 (1.0E-05)Season^3 $5.34E-07$ (7.9E-09) $7.97E-07$ (4.4E-08) $5.34E-07$ (8.0E-09) $3.72E-07$ (2.8E-08)Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0001) 0.0286 (0.0002)No. of Obs. $662,264$ 0.193 $83,970$ 0.110 $578,294$ 0.230 $92,741$ 0.374		(0.0003)	(0.0018)	(0.0003)	(0.00001)
Season^2 -0.0002 (2.9E-06) -0.0003 (1.6E-05) -0.0002 (3.0E-06) -0.0002 (1.0E-05)Season^3 $5.34E-07$ (7.9E-09) $7.97E-07$ (4.4E-08) $5.34E-07$ (8.0E-09) $3.72E-07$ (2.8E-08)Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0001) 0.0286 (0.0001)No. of Obs. $662,264$ 0.193 $83,970$ 0.110 $578,294$ 0.230 $92,741$ 0.374					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Season^2	-0.0002	-0.0003	-0.0002	-0.0002
Season^3 $5.34E-07$ $(7.9E-09)$ $7.97E-07$ $(4.4E-08)$ $5.34E-07$ $(8.0E-09)$ $3.72E-07$ $(2.8E-08)$ Cropyear 0.0078 (0.0001) 0.0189 (0.0003) 0.0087 (0.0001) 0.0286 (0.0002) No. of Obs. $662,264$ 0.193 $83,970$ 0.110 $578,294$ 0.230 $92,741$ 0.374		(2.9E-06)	(1.6E-05)	(3.0E-06)	(1.0E-05)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Season^3	5.34E-07	7.97E-07	5.34E-07	3.72E-07
Cropyear 0.0078 0.0189 0.0087 0.0286 (0.0001) (0.0003) (0.0001) (0.0002) No. of Obs. $662,264$ $83,970$ $578,294$ $92,741$ R^2 0.193 0.110 0.230 0.374		(7.9E-09)	(4.4E-08)	(8.0E-09)	(2.8E-08)
$\begin{array}{c} Cropyear & 0.0078 & 0.0189 & 0.0087 & 0.0286 \\ (0.0001) & (0.0003) & (0.0001) & (0.0002) \\ No. of Obs. & 662,264 & 83,970 & 578,294 & 92,741 \\ R^22 & 0.193 & 0.110 & 0.230 & 0.374 \\ \end{array}$		(((1102 00)	(0,
(0.0001)(0.0003)(0.0001)(0.0002)No. of Obs.662,26483,970578,29492,741R^20.1930.1100.2300.374	Cropyear	0.0078	0.0189	0.0087	0.0286
No. of Obs.662,26483,970578,29492,741R^20.1930.1100.2300.374		(0.0001)	(0.0003)	(0.0001)	(0.0002)
R^2 0.193 0.110 0.230 0.374	No. of Obs	662 264	83 970	578 294	92 741
	R^2	0.193	0.110	0.230	0.374

Table 3: Quantile	Regression Ana	vsis of the	Determinants	of Median Da	ilv Picking Rates
		/			/ ./

Time Period	1840-62	1840-62	1840-62	1840-62	1840-62	1840-62	1840-62
Region	All	Old	New	All	All	All	All
Quantile	50%	50%	50%	10%	25%	75%	90%
Constant	-9.1521	-25.794	-10.874	4.8722	-3.897	-15.922	-22.311
	(0.245)	(0.882)	(0.254)	(0.498)	(0.331)	(0.232)	(0.267)
Female Adult	-0.1207	-0.1816	-0.1121	-0.0936	-0.1091	-0.1164	-0.1162
	(0.0017)	(0.0058)	(0.0018)	(0.0035)	(0.0024)	(0.0016)	(0.0019)
Female Child	-0.6926	-0.2994	-0.7399	-0.8870	-0.8117	-0.5780	-0.4765
	(0.0033)	(0.0111)	(0.0034)	(0.0068)	(0.0044)	(0.0031)	(0.0036)
Male Child	-0.7324	-0.3305	-0.7800	-1.000	-0.9034	-0.6010	-0.5203
	(0.0033)	(0.0104)	(0.0034)	(0.0067)	(0.0044)	(0.0031)	(0.0036)
Tuesday	0.0247	0.0298	0.0164	0.0329	0.0351	0.0173	0.0142
	(0.0027)	(0.0092)	(0.0028)	(0.0056)	(0.0037)	(0.0026)	(0.0030)
Wednesday	0.0411	0.0677	0.0354	0.0548	0.0478	0.0357	0.0308
-	(0.0027)	(0.0090)	(0.0028)	(0.0056)	(0.0037)	(0.0026)	(0.0030)
Thursday	0.0433	0.0724	0.0371	0.0573	0.0541	0.0373	0.0304
-	(0.0027)	(0.0089)	(0.0028)	(0.0055)	(0.0037)	(0.0026)	(0.0030)
Friday	0.0272	0.0898	0.0180	0.0333	0.0354	0.0272	0.0254
-	(0.0028)	(0.0090)	(0.0029)	(0.0055)	(0.0037)	(0.0026)	(0.0030)
Saturday	-0.0163	0.0334	-0.0214	-0.0288	-0.0300	-0.0011	0.0103
-	(0.0028)	(0.0092)	(0.0029)	(0.0057)	(0.0037)	(0.0026)	(0.0031)
Half-Day	-0.5243	-0.5863	-0.4964	-0.4476	-0.4870	-0.4986	-0.4866
	(0.0090)	(0.0265)	(0.0095)	(0.0182)	(0.0121)	(0.0085)	(0.0098)
Season	0.0272	0.0356	0.0280	0.0393	0.0360	0.0198	0.0135
	(0.0004)	(0.0024)	(0.0004)	(0.0007)	(0.0004)	(0.0003)	(0.0004)
Season^2	-0.00022	-0.00030	-2.3E-04	-3.4E-04	-3.1E-04	-2.0E-04	-1.0E-04
	(3.1E-06)	(2.1E-05)	(3.1E-06)	(6.3E-06)	(4.2E-06)	(3.0E-06)	(3.4E-06)
Season^3	5.19E-07	7.15E-07	5.1E-07	8.2E-07	7.2E-07	3.5E-07	2.0E-07
	(8.35E-09)	(6.06E-08)	(8.3E-09)	(1.7E-08)	(1.1E-08)	(7.9E-09)	(9.1E-09)
Crop_year	0.0071	0.0157	0.0080	-0.0011	0.0039	0.0111	0.0147
	(0.0001)	(0.0004)	(0.0001)	(0.0003)	(0.0002)	(0.0001)	(0.0001)
No. of Obs.	662,264	83,970	578,294	662,264	662,264	662,264	662,264
Pseudo-R^2	0.098	0.059	0.116	0.135	0.123	0.081	0.070

Table 4: Difference-in-Differences Analysis

Panel A Changes in Picking Rates by Gender in Sample of Adults

Time Period	All	All	All
Constant	4.322	-16.697	-19.074
	(0.029)	(0.184)	(0.174)
Post_1840	0.5193	0.2544	0.2636
	(0.0031)	(0.0038)	(0.0034)
Female	0.0182	0.0229	0.0206
	(0.0040)	(0.0035)	(0.0034)
Female_	-0.1339	-0.1332	-0.1284
Post_1840	(0.0042)	(0.0038)	(0.0037)
Controls			
From Table 2	No	Yes	Yes
Plus New South	No	No	Yes
No. of Obs.	662,264	662,264	662,264
R^2	0.098	0.144	0.194

Panel B: Changes in Picking Rates by Gender and Season
--

Time Period	All	All	All
Constant	4.429	-16.454	-18.849
	(0, 0033)	(0.184)	(0.174)
	(010011)	(0.2.2.2)	(0121-2)
Female	0.0300	0.0296	0.0288
	(0, 0046)	(0, 0043)	(0, 0042)
	(0.0010)	(0.0010)	(0.0012)
Late_Season	-0.1227	-0.1227	-0.1108
	(0.0061)	(0.0061)	(0.0060)
Female_	-0.0212	-0.0158	-0.0205
Late_Season	(0.0083)	(0.0074)	(0.0073)
Post 1839	0.4724	0.2227	0.2356
	(0.035)	(0, 0.040)	(0, 0039)
	(0.000)	(0.0010)	(0.0000)
Female_	-0.1300	-0.1273	-0.1241
Post 1839	(0, 0049)	(0, 0046)	(0, 0044)
	(0100-00)	(0.0011)	(0.00000)
Post_1839_	0.1087	0.1038	0.0918
Late Season	(0.0066)	(0.0061)	(0.0059)
Female_Post_1840	-0.0209	-0.0268	-0.0214
_Late_Season	(0.0090)	(0.0082)	(0.0080)
Controls			
From Table 2	No	Yes	Yes
Plus New South	No	No	Yes
The free ooun	110	110	100
No. of Obs	662 264	662 264	662 264
R^2	0 1 1 1	0.145	0 194
11 <i>L</i>	0.111	0.140	0.154

Table 5: Determinants of Daily Picking Rates, with Age-Gender Profile for Sample with Ages

Dependent Variable: Log of Daily Picking Quantity							
Time Period	1840-62	1840-62	1840-62	1801-39			
Region	All -31.608	Old -84 144	New _23 820	All - 35 313			
Constant	(0.3583)	(1 021)	(0.3770)	(0.976)			
	(0.0000)	(1.021)	(0.0110)	(0.010)			
Age	0.2118	0.0991	0.2209	0.0723			
	(0.0023)	(0.0048)	(0.0023)	(0.0080)			
Age^2	-0.0055	-0.0024	-0.0057	-0.0019			
	(0.0001)	(0.00016)	(0.00009)	(0.00027)			
A	0.000049	0.000016	0.000042	0.000014			
Age 5	(9.1E-07)	(1.6E - 06)	(9.4E-07)	(2.9E-06)			
	(3.12 07)	(1.012 00)	(3.412 07)	(2.3E 00)			
Female	0.1538	0.553	0.1608	-0.0614			
	(0.0215)	(0.0675)	(0.0217)	(0.1160)			
Female Age	-0.0153	-0.0783	-0.0138	0.0432			
	(0.0027)	(0.0080)	(0.0027)	(0.0147)			
Female Age^2	0.00014	0.00254	0.00055	-0.0027			
	(0.0001)	(0.00028)	(0.0001)	(0.0006)			
Female Age^3	845F-07	-0.00002	0.0000019	0.000035			
I Chiare rige 0	(1.04E-06)	(2.9E-06)	(1.07E-06)	(6.9E-06)			
	(110112-000)	(1012-000)	(110112 000)				
Tuesday	0.0217	0.0298	0.0233	0.0300			
	(0.0036)	(0.0119)	(0.0037)	(0.0154)			
Wednesday	0.0544	0.0477	0.0457	0.0300			
	(0.0035)	(0.0116)	(0.0037)	(0.0149)			
Thursdou	0.0494	0.0579	0.0474	0.0210			
Thursday	(0.0484)	(0.0372)	(0.0474)	(0.0219)			
	(0.0000)	(0.0110)	(0.0007)	(0.0102)			
Friday	0.0301	0.1121	0.0234	0.0480			
-	(0.0036)	(0.0117)	(0.0037)	(0.0151)			
Saturday	-0.0353	0.0564	-0.0421	-0.0470			
	(0.0038)	(0.0119)	(0.0039)	(0.0167)			
Half Davi	0 5261	0.0406	0 4674	0 7017			
пап-Day	-0.5501	-0.9406	-0.4074	-0.7917			
	(0.0111)	(0.0220)	(0.0122)	(0.1247)			
Season	0.0374	0.0709	0.0356	0.0636			
	(0.00052)	(0.0032)	(0.00053)	(0.0029)			
Season^2	-3.08E-04	-5.79E-04	-2.95E-04	-4.6E-04			
	(4.45E-06)	(2.8E-05)	(4.52E-06)	(3.2E-05)			
6		1 405 03		0.405.05			
Season 3	(1.05E-07)	1.43E-06	b, (E - U)	9.48E-U/			
	(1.2E-08)	(1.94E-08)	(1.21E-08)	(0.2E-U8)			
Crop vear	0.0178	0.0460	0.0134	0.0199			
	(0.0002)	(0.0005)	(0.0002)	(0.0005)			
	()	(1.0000)	()				
No. of Obs.	289,954	26,729	263,255	9,487			
R^2	0.344	0.281	0.362	0.377			

Size	Dependent All	Variable: Log of Small (<15)	f Daily Picking Quan Medium (15-50)	tity, All Regior Large(>50)	ns, 1840-62: All	All
Constant	-10.501	-19.727	0.5011	-20.030	-9.227	-8.254
e onotant	(0.201)	(1.556)	(0.3001)	(0.2747)	(0 1994)	(0.1977)
	(0.201)	(1.000)	(0.0001)	(0.2747)	(0.1334)	(0.1377)
Female Adult	-0 1107	-0.0636	-0 1293	-0 1081	-0.1146	-0 1123
Pennale Muult	(0,0014)	(0.0030)	(0.1233)	(0.0020)	(0.0014)	(0.0014)
	(0.0014)	(0.0001)	(0.0021)	(0.0020)	(0.0014)	(0.0014)
Fomalo Child	-0.6854	-0.4553	-0.5112	-0.8367	-0.6951	-0.6987
Female emile	(0.0034)	(0.930)	(0.0112)	(0.0007)	(0.0001)	(0.035)
	(0.0034)	(0.0200)	(0.0030)	(0.0047)	(0.0000)	(0.0055)
Malo Child	-0.7486	-0.4914	-0.5870	-0.8802	-0.7568	-0.7593
Male ennu	(0.035)	(0.0157)	(0.0070)	(0.0052)	(0.0036)	(0.0036)
	(0.0033)	(0.0157)	(0.0055)	(0.0047)	(0.0030)	(0.0030)
Tuosday	0.0252	0.0716	0.0280	0.0186	0 0242	0 0231
Tuesday	(0.0232)	(0.0132)	(0.0203)	(0.0100)	(0.0242)	(0.0231)
	(0.0024)	(0.0132)	(0.0033)	(0.0033)	(0.0024)	(0.0024)
Wedneedey	0 0499	0.0200	0.0191	0.0250	0.0417	0.0412
wednesday	(0.0422)	(0.0009)	(0.0404)	(0.0330)	(0.0417)	(0.0413)
	(0.0024)	(0.0132)	(0.0034)	(0.0033)	(0.0024)	(0.0024)
Thursday	0.0440	0.0469	0.0400	0.0469	0.0429	0.0420
Inursday	0.0440	0.0462	0.0423	0.0462	0.0438	(0.0430)
	(0.0024)	(0.0131)	(0.0034)	(0.0033)	(0.0024)	(0.0024)
Duidan	0 0202	0.0799	0.0001		0.0000	0.0200
Friday	(0.0303)	(0.0733)	(0.0321)	(0.0255)	0.0299	0.0300
	(0.0024)	(0.0132)	(0.0035)	(0.0033)	(0.0024)	(0.0025)
	0.0104	0.0100	0.0000	0.0070	0.0104	0.0101
Saturday	-0.0134	0.0192	0.0006	-0.0272	-0.0134	-0.0101
	(0.0025)	(0.0136)	(0.0036)	(0.0035)	(0.0025)	(0.0025)
	0.4001	0.500	0 5100	0.0744	0 4071	0.4550
Half-Day	-0.4931	-0.592	-0.5192	-0.3744	-0.4671	-0.4556
	(0.0073)	(0.0376)	(0.0090)	(0.0119)	(0.0072)	(0.0071)
0	0.0070	0.0105	0.0001	0.0410	0.0074	0.0055
Season	0.0276	0.0195	0.0201	0.0413	0.0274	0.0255
	(0.0003)	(0.0018)	(0.0005)	(0.0004)	(0.00033)	(0.00033)
a	0.00000	0.0001.0	0.0000	0.0000	0.0000	0.0000
Season 2	-0.00023	-0.00016	-0.0002	-0.0003	-0.0002	-0.0002
	(0.000003)	(0.0001)	(0.00004)	(0.000004)	(0.000003)	(0.000003)
G A0	5 0 (D) 0 5	0.100.05	101D 05	5 01 D 05		1010 05
Season 3	5.34E-07	3.13E-07	4.84E-07	7.61E-07	5.26E-07	4.94E-07
	(7.9E-09)	(2.95E-08)	(1.3E-08)	(1.0E-08)	(7.7E-09)	(7.6E-09)
0	0.0070	0.0107	0.0000	0.0107	0.0000	0.0000
Crop_year	0.0078	0.0127	0.0020	0.0127	0.0069	0.0063
	(0.0001)	(0.0008)	(0.0002)	(0.00014)	(0.0001)	(0.00011)
т.,					0 1000	
L_pickers_crop	year				0.1206	
					(0.0014)	
т., ,						0 1750
L_pickers_day						0.1756
						(0.0013)
	000.001	12.010		042.010	000.001	000.001
NO. OI Ubs.	662,264	16,043	299,402	346,819	662,264	662,264
R ²	0.193	0.173	0.123	0.271	0.202	0.219

Table 6: Determinants of Daily Picking Rates, with Breakdowns by Size of Picking Labor Force

Table 7: Determinants of Daily Picking Rates with Plantation and Plantation Crop Year Fixed Effects.

	Dependent	Variable: Log	of Daily Picking	Quantity
Time Period	1840-62	1840-62	1801-39	1801-39
Region	All	All	All	All
Constant	-8.355	3.583	-25.311	3.014
	(0.3699)	(0.0114)	(0.748)	(0.0431)
	<8.395>	<0.1409>	<9.214>	<0.3385>
Female Adult	-0.0830	-0.0832	0.0092	0.0117
	(0.0012)	(0.0012)	(0.0031)	(0.0030)
	<0.0130>	<0.0070>	<0.0263>	<0.0167>
Female Child	-0.5890	-0.5728	-0.540	-0.5484
	(0.0030)	(0.0028)	(0.0094)	(0.0092)
	<0.0746>	<0.0247>	<0.0911>	<0.0528>
Male Child	-0.6259	-0.6131	-0.5468	-0.5410
	(0.0030)	(0.0029)	(0.0097)	(0.0092)
	<0.0917>	<0.0274>	<0.0547>	<0.0487>
Tuesday	0.0316	0.0290	0.0131	0.0128
	(0.0020)	(0.0019)	(0.0050)	(0.0049)
	<0.0066>	<0.0054>	<0.0130>	<0.0082>
Wednesdav	0 0465	0.0433	0 0299	0 0299
,, canobady	(0, 0020)	(0, 0019)	(0.0050)	(0,0048)
	<0.0064>	<0.0062>	<0.0160>	<0.0119>
Thursday	0.0491	0.0449	0.0171	0.0172
1 Hai Saaj	(0, 0020)	(0, 0019)	(0.0051)	(0,0048)
	<0.0077>	<0.0066>	<0.0189>	<0.0130>
Friday	0 0369	0 0349	0.0265	0 0269
Triddy	(0.0000)	(0,0019)	(0.0200)	(0.0200)
	<0.0076>	<0.0013)	<0.0108>	<0.0108>
Saturday	0 0002	-0.0010	-0.0221	-0.0220
Saturday	(0.0002)	(0.0010)	(0.0221)	(0.0220)
	<0.0112>	<0.0020)	<0.0128>	<0.0140>
	0 5507	0 5 6 1 1	0.0100	
Half-Day	-0.5507	-0.5611	-0.6193	-0.6055
	(0.0063)	(0.0062)	(0.0425)	(0.0466)
	<0.0315>	<0.0240>	<0.0673>	<0.1070>
Season	0.0332	0.0358	0.0320	0.0363
	(0.00031)	(0.00031)	(0.0012)	(0.0012)
	<0.0046>	<0.0038>	<0.00053>	<0.0087>
Season^2	-2.73E-04	-2.94E-04	-2.41E-04	-2.74E-04
	(2.7E-06)	(2.6E-06)	(1.1E-05)	(1.1E-05)
	<3.8E-05>	<3.2E-05>	<5.3E-05>	<7.2E-05>
Season^3	6.27E-07	6.71E-07	4.54E-07	5.36E-07

	(7.2E-09)	(7.1E-09)	(3.0E-08)	(3.0E-08)
	(9.0E 007	(0.1E 007	(1.5E 077	(1.5E 077
Crop_year	0.0064		0.0156	
	(0.00020)		(0.00041)	
	<0.00457>		<0.0042>	
Fixed Effects				
Plantation	Х		Х	
Pl Crop year		Х		Х
Plantation	121		28	
Pl Crop year		409		103
No. of Obs.	662,264	662,264	92.741	92,741
R^2	0.447	0.494	0.482	0.525

Time Period	1840-62	1840-62	1840-62	1801-39	1801-39	1801-39
Region	All	Old	New	All	Old	New
Constant	4.799	4.504	4.842	4.300	3.629	4.331
	(0.00068)	(0.00185)	(0.00074)	(0.00172)	(0.0081)	(0.00176)
	<0.00484>	<0.00995>	<0.00520>	<0.0096>	<0.0244>	<0.0099>
Female Adult	-0.0694	-0.0246	-0.0760	0.0229	-0.0897	0.0280
	(0.00093)	(0.00253)	(0.00099)	(0.00228)	(0.0111)	(0.0024)
	<0.00715>	<0.01893>	<0.00765>	<0.01761>	<0.0485>	<0.0181>
Female Child	-0.5549	-0.4324	-0.5746	-0.5264	-0.6483	-0.5229
	(0.00239)	(0.00593)	(0.00260)	(0.00734)	(0.0391)	(0.0074)
	<0.02516>	<0.04170>	<0.02715>	<0.05147>	<0.0645>	<0.0528>
Male Child	-0.6012	-0.4871	-0.6211	-0.5216	-0.4489	-0.5237
	(0.00249)	(0.00549)	(0.00277)	(0.0076)	(0.0424)	(0.0077)
	<0.02723>	<0.04351>	<0.02966>	<0.05456>	<0.1323>	<0.0562>
Plantation Day	Controls					
R^2	0.697	0.764	0.677	.0.721	0.643	0.706
No. of Obs.	662,264	83,970	578,294	92,741	4,055	88.686
Plantation						
Dates	23,153	3,930	19,223	5,995	484	5,511
Clusters	409	83	326	103	14	89

Table 8: Using Plantation-Day Fixed Effects to Control for Allocation Issues, Broad Age-Gender Categories

Time Period	1840-62	1840-62	1840-62	1801-39
Region	All	Old	New	All
Constant	2.770	3.414	2.717	3.051
	(0.0120)	(0.0262)	(0.0122)	(0.0650)
	<0.1017>	<0.0845>	<0.1012>	<0.1420>
Age	0.1830	0.1488	0.1850	0.0942
	(0.0015)	(0.0030)	(0.0015)	(0.0071)
	<0.0118>	<0.0093>	<0.0120>	< 0.0176>
Age^2	-0.0047	-0.0041	-0.0048	-0.0026
	(0.00006)	(0.0001)	(0.00006)	(0.00024)
	<0.0004>	<0.00031>	<0.00041>	<0.00067>
Age^3	0.000036	0.000032	0.000036	0.000021
	(0.0000006)	(0.000001)	(0.0000001)	(0.000024)
	<0.000004>	<0.000003>	<0.000004>	<0.000076>
Female	0.1136	0.6015	0.0972	0.1526
	(0.0143)	(0.0441)	(0.0146)	(0.0919)
	<0.0836>	<0.2194>	<0.0848>	<0.2116>
Female Age	-0.0066	-0.0742	-0.0034	-0.0108
	(0.0018)	(0.0052)	(0.0018)	(0.0111)
	<0.0102>	<0.2569>	<0.0104>	< 0.0271>
Female Age^2	-0.00017	0.00226	-0.00029	-0.00008
	(0.00006)	(0.0052)	(0.00006)	(0.00042)
	<0.00036>	<0.00085>	<0.00037>	<0.00104>
Female Age^3	0.000004	-0.00002	0.00001	0.000005
	(0.0000007)	(0.0000019)	(0.000001)	(0.0000048)
	<0.000004>	<0.000087>	<0.0000039>	<0.000012>
Plantation Date	Control			
R^2	0.762	0.788	0.760	0.754
No. of Obs.	289,954	26,729	263,255	9.487
Plantation				
Dates	11,621	1,080	10,541	913
Clusters	202	24	178	19

Table 9: Using Plantation-Day Fixed Effects to Control for Allocation Issues, Age-Gender Profiles

Table 10 Individual Fixed Effect Estimates

Panel A: Full Sample, 1840-62 period

	All	Female	Male
Constant	3.585	3.492	3.684
	(0.011)	(0.014)	(0.015)
Child	-0.486	-0.492	-0.482
	(0.004)	(0.004)	(0.005)
Season	0.0343	0.0357	0.0327
	(0.0003)	(0.0004)	(0.0004)
Season^2	-0.00028	-0.00029	-0.00027
	(2.4E-06)	(3.4E-06)	(3.5E-06)
Season^3	6.46E-07	6.70E-07	6.17E-07
	(6.6E-09)	(9.1E-09)	(9.4E-09)
Tuesday	0.0319	0.0304	0.0334
	(0.0017)	(0.0024)	(0.0024)
Wednesday	0.0462	0.0447	0.0478
	(0.0017)	(0.0024)	(0.0024)
Thursday	0.0479	0.0500	0.0458
	(0.0017)	(0.0024)	(0.0024)
Friday	0.0353	0.0354	0.0352
	(0.0017)	(0.0024)	(0.0024)
Saturday	-0.0029	0.0009	-0.0071
	(0.0018)	(0.0024)	(0.0026)
Half-day	-0.544	-0.541	-0.547
	(0.0057)	(0.0080)	(0.0081)
Categories	6379	2933	3446
No. of Obs.	662,264	335,952	326,312
R^2	0.597	0.577	0.612

Panel B: Sample with Age, 1840-62 Period

	All	Female	Male
Constant	3.549	3.480	3.627
	(0.018)	(0.025)	(0.026)
Child	-0.484	-0.492	-0.474
	(0.004)	(0.0056)	(0.0058)
Season	0.0348	0.0358	0.0335
	(0.0004)	(0.0007)	(0.0007)
Season^2	-0.00028	-0.00029	-0.00027
	(4.2E-06)	(5.8E-06)	(6.0E-06)
Season^3	6.48E-07	6.64E-07	6.28E-07
	(1.1E-08)	(1.5E-08)	(1.6E-08)
Tuesday	0.0417	0.0394	0.0441
	(0.0029)	(0.0040)	(0.0041)
Wednesday	0.0557	0.0529	0.0588
	(0.0028)	(0.0040)	(0.0041)
Thursday	0.0579	0.0600	0.0558
	(0.0029)	(0.0040)	(0.0041)
Friday	0.0400	0.0378	0.0422
	(0.0029)	(0.0040)	(0.0042)
Saturday	-0.0146	-0.0134	-0.0160
	(0.0031)	(0.0042)	(0.0044)
Half-day	-0.567	-0.582	-0.554
	(0.0089)	(0.0124)	(0.0128)
Categories	1748	825	923
No. of Obs.	289,954	149,392	140,562
R^2	0.576	0.549	0.599

Panel C: Aging Estimates in Sample with Ages, 1840-62 Period

	All	Female	Male
Constant	0.9008	0.8364	0.9699
	(0.0228)	(0.0320)	(0.0325)
Age	0.2492	0.2467	0.2528
	(0.0016)	(0.0023)	(0.0023)
Age^2	-0.00691	-0.00685	-0.00703
	(6.3E-05)	(9.0E-05)	(8.9E-05)
Age^3	5.86E-05	5.89E-05	5.92E-05
	(7.3E-07)	(1.1E-06)	(1.0E-06)
Season	0.0349	0.0359	0.0338
	(0.00048)	(0.00067)	(0.00070)
Season^2	-0.00028	-0.00029	-0.00027
	(4.1E-06)	(5.7E-06)	(5.9E-06)
Season^3	6.46E-07	6.63E-07	6.28E-07
	(1.1E-08)	(1.5E-08)	(1.6E-08)
Tuesday	0.0409	0.0388	0.0433
	(0.0027)	(0.0038)	(0.0039)
Wednesday	0.0556	0.0527	0.0587
	(0.0027)	(0.0038)	(0.0039)
Thursday	0.0569	0.0594	0.0545
	(0.0027)	(0.0038)	(0.0039)
Friday	0.0401	0.0380	0.0424
	(0.0028)	(0.0038)	(0.0040)
Saturday	-0.0143	-0.0134	-0.0153
	(0.0029)	(0.0040)	(0.0043)
Half-day	-0.566	-0.582	-0.553
	(0.0088)	(0.0122)	(0.0126)
Categories	1748	825	923
No. of Obs.	289,954	149,392	140,562
R^2	0.618	0.592	0.641

Panel D: Aging Estimates in Sample with Ages, 1840-62 Period, Restricted to Ages Below 25

	All	Female	Male
Constant	0.1194	-0.0118	0.2333
	(0.0406)	(0.0590)	(0.0562)
Age	0.3876	0.3857	0.3939
	(0.0072)	(0.0105)	(0.0101)
Age^2	-0.0144	-0.0140	-0.0151
	(0.00050)	(0.00071)	(0.00071)
Age^3	0.000173	0.000160	0.000193
	(0.000011)	(0.000015)	(0.000016)
Season	0.0382	0.0404	0.0361
	(0.00064)	(0.00089)	(0.00092)
Season^2	-0.000304	-0.000321	-0.000288
	(5.40-06)	(7.48E-06)	(7.77E-06)
Season^3	6.77E-07	7.15E-07	6.40E-07
	(1.43E-08)	(1.97E-08)	(2.07E-08)
Tuesday	0.0404	0.0381	0.0429
	(0.0034)	(0.0048)	(0.0049)
Wednesday	0.0578	0.0533	0.0625
	(0.0034)	(0.0048)	(0.0049)
Thursday	0.0594	0.0593	0.0596
	(0.0034)	(0.0048)	(0.0060)
Friday	0.0441	0.0394	0.0491
	(0.0035)	(0.0049)	(0.0049)
Saturday	-0.0164	-0.0158	-0.0171
	(0.0037)	(0.0051)	(0.0054)
Half-day	-0.544	-0.583	-0.512
	(0.0119)	(0.0163)	(0.0170)
Categories	1096	531	565
No. of Obs.	178,017	91,298	86,719
R^2	0.670	0.646	0.692

Pie-lo	40 Period	Lifetime			New Season Reset		
Increment (Adjust if picking exceeds target by)							
		0	10	20	0	10	20
	Probability						
	0.5	90.1	88.1	84.4	80.4	78.1	73.8
	0.9	92.7	91.0	87.8	84.8	82.1	77.6
	1	93.1	91.4	88.1	85.4	82.7	78.2
<u>1840-1</u>	860 Period	Lifetim	е		New S	eason R	eset
<u>1840-1</u> Increm	<u>860 Period</u> ent (Adjust if pic	Lifetim king exc	e eeds tai	get by)	New S	eason R	eset
<u>1840-1</u> Increm	<u>860 Period</u> ent (Adjust if pic	Lifetim king exc 0	e eeds tai 10	get by) 20	New S 0	eason R 10	eset 20
<u>1840-1</u> Increm	<u>860 Period</u> ent (Adjust if pic Probability	Lifetim king exc 0	e eeds tai 10	rget by) 20	New S 0	eason R 10	eset 20
<u>1840-1</u> Increm	<u>860 Period</u> ent (Adjust if pic Probability 0.5	Lifetim king exc 0 89.3	e eeds tai 10 88.1	rget by) 20 85.9	New S 0 79.2	eason R 10 77.4	20 74.4
<u>1840-1</u> Increm	<u>860 Period</u> ent (Adjust if pic Probability 0.5 0.9	Lifetim king exc 0 89.3 92.2	e eeds tai 10 88.1 91.1	get by) 20 85.9 89.0	New S 0 79.2 83.9	eason R 10 77.4 82.2	20 74.4 78.9

Table 11: Percent of Days of Deficit when Hypothetical Target Exceeds Picking

Appendix Table 1 presents results for the sub-sample including ages.

Time Period Region	1840-62	1840-62 Old	1840-62 New	1801-39
Constant	-32.843	-79.954	-24.962	-38.869
	(0.382)	(0.974)	(0.4036)	(0.9356)
Female	-0.1036	-0.1432	-0.0999	0.0592
Adult	(0.0023)	(0.0080)	(0.0024)	(0.0101)
Female	-0.6765	-0.3343	-0.7202	-0.0135
Child	(0.0042)	(0.0112)	(0.0044)	(0.0153)
Male Child	-0.699	-0.3837	-0.7484	-0.0973
	(0.0041)	(0.0104)	(0.0044)	(0.0247)
Tuesday	0.0206	0.0278	0.0219	0.0082
	(0.0038)	(0.0120)	(0.0039)	(0.0159)
Wednesday	0.0447	0.0459	0.0452	0.0266
	(0.0037)	(0.0116)	(0.0039)	(0.0154)
Thursday	0.0489	0.0557	0.0478	0.0169
	(0.0037)	(0.0117)	(0.0039)	(0.0156)
Friday	0.0300	0.1100	0.0232	0.0436
	(0.0037)	(0.0117)	(0.0040)	(0.0156)
Saturday	-0.0361	0.0548	-0.0434	-0.0483
	(0.0040)	(0.0120)	(0.0042)	(0.0171)
Half-Day	-0.5102	-0.9452	-0.4319	-0.8224
	(0.0114)	(0.0227)	(0.0126)	(0.1201)
Season	0.0368	0.0700	0.0351	0.0654
	(0.0005)	(0.0032)	(0.0005)	(0.0040)
Season^2	-3.06E- 04 (4.58E-	-5.80E- 04 (2.84E-	-2.94E- 04 (4.66E-	-4.69E-04
	06)	(2.011)	06)	(3.2E-05)
Season^3	7.07E-07 (1.24E-	1.43E-06 (7.95E-	6.81E-07 (1.26E-	9.46E-07
	08)	08)	08)	(8.31E-08)
Cropyear	0.0197	0.0444	0.0154	0.0221
	(0.0002)	(0.0005)	(0.0002)	(0.0005)
No. of Obs.	289,954	26,729	263,225	9.487
R^2	0.271	0.271	0.283	0.337

Table A1: Determinants of Daily Picking Rates, for Sample with Ages

Table A1 uses the same specification as Table 2, but restricts the analysis to the sample where we can assign ages. The most notable differences between the Tables appear for the Old South sub-sample where relatively few of the upland cotton operations reported information allowing inference of age. Those that did so had picking rates exceeding those in the New South. This pattern inverts both the regional relationship found in the overall micro sample, in the picking rate data including plantation-level aggregates, and in the bales-to-cotton worker ratio we have derived based on state- or county-level labor force and production data (Olmstead-Rhode 2008ab, 2010). This hints at differing degrees of selectivity in the contemporaneous keeping of accounts and in the survival of such records. Such considerations indicate the importance of applying proper care in interpreting the statistical results based on the disaggregated age data.

Southeast plantations, as a rule, were neither deficit in neither keeping nor donating them to archives. But many of the available records are for operations producing Sea Island cotton and /or rice. In fact, operations on the Georgia and Carolina coasts have been cited to an extent unequal to their importance. This casts a shadow over the understanding of antebellum economy of the Southeast. As but one example, the cliometrics literature frequently cites data on the monthly employment of labor in cotton, corn, and other activity on the George Kollock's Ossabaw, Georgia plantation. But Kollock specialized in Sea Island cotton production, which differed in important specific ways from upland cotton production.